

Supply Schedules 2011

Ventilation and LIFE-BASE Portable System

No. 129800 - Valid from 01.11.2011

Suggested sales prices. V.A.T. excluded.

This price list is valid from 01.11.2011 and until the publication date of the subsequent list. Note: our price lists are regularly updated at short notice. Please make sure you have the current price list before you order by calling us (+49-(0)40-547 02-0) or by using your customer log-in to check our Web site (www.weinmann.de). All previously issued price lists lose their validity as of the publication date of the newest price list. We reserve the right to make changes to designs and equipment, especially those resulting from ongoing development of new production series, without prior notice. WEINMANN is entitled to exclusive use of any and all forms of copyright related to this publication unless it grants express permission to another party.

A minimum quantity surcharge of 10 € applies to deliveries in foreign countries with a total value of less than 300 €.

Table of Contents

| | Page |
|---|----------|
| Ventilation and LIFE-BASE Portable System | 5 |
| Emergency and Transport Ventilation | 5 |
| MEDUMAT Transport - Stand-alone Devices | 5 |
| Portable Systems with MEDUMAT Transport | 5 |
| Hose systems for MEDUMAT Transport | 7 |
| Accessories and Replacement Parts for MEDUMAT Transport | 11 |
| Instructions for use | 13 |
| Mobile Hospital Stand MEDUcart Bedside | 15 |
| Optional Accessories MEDUcart Bedside | 15 |
| Accessories and Replacement Parts for MEDUcart Bedside | 15 |

Table of Contents

| | Page |
|---|-----------|
| MEDUMAT Standard a - Stand-alone Device | 16 |
| Portable Systems with MEDUMAT Standard a | 16 |
| ULM CASE with MEDUMAT Standard a | 18 |
| RESCUE-PACK with MEDUMAT Standard a | 18 |
| Instructions for use | 19 |
| MEDUMAT Standard - Stand-alone Device | 21 |
| Portable Systems with MEDUMAT Standard | 21 |
| ULM CASE with MEDUMAT Standard | 24 |
| RESCUE-PACK with MEDUMAT Standard | 25 |
| Instructions for use | 26 |
| MEDUMAT Easy CPR - Stand-alone Devices | 28 |
| Portable Systems with MEDUMAT Easy CPR | 29 |
| RESCUE PACK with MEDUMAT Easy CPR | 30 |
| Instructions for use | 31 |
| MEDUMAT Easy - Stand-alone Device | 32 |
| Portable Systems with MEDUMAT Easy | 32 |
| RESCUE-PACK with MEDUMAT Easy | 33 |
| Instructions for use | 35 |
| Accessories and Replacement Parts for MEDUMAT Standard a, Standard, Easy CPR, Easy | 36 |
| Ventilation monitoring | 38 |
| MODUL CapnoVol - Stand-alone Device | 38 |
| Portable systems with MODUL CapnoVol and MEDUMAT Standard a | 38 |
| Portable Systems with MODUL CapnoVol and MEDUMAT Standard | 39 |
| Retrofit Set for MODUL CapnoVol | 40 |
| Accessories and Replacement Parts for MODUL CapnoVol | 41 |
| Instructions for use | 42 |
| MODUL System | 43 |
| MODUL CPAP - Stand-alone Devices | 43 |
| MODUL Oxygen - Stand-alone Device | 44 |
| Portable System with MODUL Oxygen | 44 |
| MODUL Combi - Stand-alone Device | 45 |
| Accessories and Replacment Parts for MODUL System | 46 |
| Instructions for use | 48 |
| LIFE-BASE Portable Systems | 49 |
| LIFE-BASE Portable Systems - without devices - | 49 |
| Accessories and Replacement Parts for Portable Systems | 50 |
| Instructions for use | 52 |
| Wall mountings for LIFE-BASE Portable Systems | 53 |
| Alternative Ways to Fasten Equipment | 55 |
| Instructions for use | 55 |
| O2 Box Rescue | 57 |
| Accessories and Replacement Parts | 59 |
| Instructions for use | 59 |

| | |
|---|-----------|
| Bag-Valve-Mask Resuscitator and demand valve | 61 |
| COMBIBAG Bag-Valve-Mask Resuscitator | 61 |
| Accessories and Replacement Parts for COMBIBAG | 61 |
| Instructions for use | 62 |
| Silicone bag-valve-mask resuscitators | 62 |
| Accessories and Replacement Parts for Silicone bag-valve-mask resuscitator | 63 |
| OXYMAND demand valve | 63 |
| Accessories and Replacement Parts for OXYMAND demand valve | 63 |
| Ventilation aid | 65 |
| LIFEWAY ventilation aid | 65 |
| Accessories and Replacement Parts for LIFEWAY | 65 |
| Instructions for use | 66 |
| Patient Interface/Ventilation masks | 67 |
| Ventilation mask with inflatable seal | 67 |
| Accessories and Replacement Parts for ventilation mask with inflatable seal | 67 |
| Various Masks | 67 |
| Silicone ventilation masks | 68 |
| CPAP-/NIV Masks | 68 |
| MEDUMAT - Old Models | 70 |
| Accessories and Replacement Parts for MEDUMAT | 70 |
| Accessories and Replacement Parts for MEDUMAT Variable and Compact | 70 |
| Accessories and Replacement Parts for Portable Systems (old models) | 71 |
| Instructions for use | 71 |
| The following articles are to be discontinued shortly | 71 |

Ventilation and LIFE-BASE Portable System

Emergency and Transport Ventilation

For the removal and feeding-in of oxygen, all MEDUMAT Transport basic devices are delivered with a Walther-type quick coupling as standard equipment. For an additional € 57, the device can be delivered with a different coupling system (DIN, AGA or bayonet type). (Please note that DIN is suitable only for the removal of oxygen.)

Please tell us when you place your order which type of coupling you would like to have delivered with your devices.

MEDUMAT Transport - Stand-alone Devices

WM 28300

MEDUMAT Transport Ventilator, complete,
for differential and emergency ventilation via direct
selection
with integrated volume measurement
consisting of:
Quick-release coupler type Walther,
Rechargeable battery,
Reusable patient hose system, complete
consisting of:
Patient valve with integrated PEEP control,
measurement connections, connection system
and BiCheck flow sensor;
Ventilation mask with inflatable mask seal of
silicone for adults, size 5,
Set CPAP/NIV disposable masks,
Test set for functional check,
Set of mounting elements for assembly

WM 28400

MEDUMAT Transport Ventilator, complete,
for differential and emergency ventilation via direct
selection
with integrated volume measurement
and capnography
consisting of:
Quick-release coupler type Walther,
Rechargeable battery,
Reusable patient hose system, complete
consisting of:
Patient valve with integrated PEEP control,
measurement connections, connection system
and BiCheck flow sensor;
Ventilation mask with inflatable mask seal of
silicone for adults, size 5,
Test set for functional check,
Set of mounting elements for assembly

Portable Systems with MEDUMAT Transport

| | |
|---------|--|
| WM 9600 | <p>LIFE-BASE 4 NG with MEDUMAT Transport without CO2 measurement, with reusable hose system, transport bag and bedside holder Most important components in the Supply Schedule: MEDUMAT Transport ventilator, complete (WM 28300) with quick-release coupler type Walther, 2-liter oxygen cylinder (WM 1822), OXYWAY Fast II High Flow (WM 31891), LIFE-BASE 4 NG portable system with charger interface, preassembled, Protective bag and shoulder strap</p> |
| WM 9605 | <p>LIFE-BASE 4 NG with MEDUMAT Transport with CO2 measurement and reusable patient hose system, transport bag and bedside holder Most important components in the Supply Schedule: MEDUMAT Transport ventilator, complete (WM 28400) with quick-release coupler type Walther, 2-liter oxygen cylinder (WM 1822), OXYWAY Fast II High Flow (WM 31891), LIFE-BASE 4 NG portable system with charger interface, preassembled, Protective bag and shoulder strap</p> |
| WM 9620 | <p>LIFE-BASE 1 NG with MEDUMAT Transport without CO2 measurement, with reusable hose system and bedside holder Most important components in the Supply Schedule: MEDUMAT Transport ventilator, complete (WM 28300), LIFE-BASE 1 NG portable system with charger interface, preassembled, WITHOUT protective bag Please order pressure hose, protective bag and charging equipment separately.</p> |
| WM 9625 | <p>LIFE-BASE 1 NG with MEDUMAT Transport with CO2 measurement and reusable hose system and bedside holder Most important components in the Supply Schedule: MEDUMAT Transport ventilator, complete (WM 28400), LIFE-BASE 1 NG portable system with charger interface, preassembled WITHOUT protective bag Please order pressure hose, protective bag and charging equipment separately.</p> |
| WM 9630 | <p>LIFE-BASE 1 NG with MEDUMAT Transport</p> |

- without CO2 measurement, with reusable hose system and bedside holder
Most important components in the Supply Schedule:
MEDUMAT Transport ventilator, complete (WM 28300), LIFE-BASE 1 NG portable system WITHOUT charger interface, preassembled, WITHOUT protective bag
Please order pressure hose, protective bag and charging equipment separately.
- WM 9635 LIFE-BASE 1 NG with MEDUMAT Transport with CO2 measurement, with reusable hose system and bedside holder
Most important components in the Supply Schedule:
MEDUMAT Transport ventilator, complete (WM 28400), LIFE-BASE 1 NG portable system WITHOUT charger interface, preassembled, WITHOUT protective bag
Please order pressure hose, protective bag and charging equipment separately.
- WM 28340 LIFE-BASE light with MEDUMAT Transport without CO2 measurement, with reusable patient hose system, consisting of:
- Portable system LIFE-BASE light (WM 28370)
- MEDUMAT Transport without CO2 measurement, complete (WM 28300) with quick-release coupler type Walther
Please order pressure hose and charging equipment separately.
- WM 28350 LIFE-BASE light with MEDUMAT Transport with CO2 measurement and reusable patient hose system, consisting of:
- Portable system LIFE-BASE light (WM 28370)
- MEDUMAT Transport with CO2 measurement, complete (WM 28400) with quick-release coupler type Walther
Please order pressure hose and charging equipment separately.

Hose systems for MEDUMAT Transport

Reusable patient hose systems WITH CO2 measurement

- WM 28425 2m reusable patient hose system WITH CO2 measurement, complete, for MEDUMAT Transport, WITH connection cable for BiCheck flow sensor, WITH protective sleeve for hose and reusable measurement hose systems
- WM 28480 2m reusable patient hose system WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor and WITHOUT protective sleeve for hose
- WM 28676 3m reusable patient hose system WITH CO2

| | |
|----------|--|
| | measurement, complete, for MEDUMAT Transport, WITH connection cable for BiCheck flow sensor, WITH protective sleeve for hose and reusable measurement hose systems |
| WM 28677 | 3m reusable patient hose system WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor and WITHOUT protective sleeve for hose |
| | Measurement hose systems for reusable patient hose systems WITHOUT CO2 measurement |
| WM 28623 | 3m reusable measurement hose system WITHOUT CO2 measurement for reusable patient hose system for MEDUMAT Transport |
| WM 28622 | 2m reusable measurement hose system WITHOUT CO2 measurement for reusable patient hose system for MEDUMAT Transport |
| | Additional supplies for reusable patient hose systems with Co2 measurement |
| WM 15695 | Set of 5 2m disposable CO2 measurement hose with filter |
| WM 15696 | Set of 5 3m disposable CO2 measurement hose |
| | Optionally pre-measured disposable measurement hose systems can be used |
| WM 28595 | 2m disposable measurement hose system WITH CO2 measurement for reusable patient hose system for MEDUMAT Transport |
| WM 28687 | 3m disposable measurement hose system WITH CO2 measurement for reusable patient hose system for MEDUMAT Transport |
| WM 28295 | 2m reusable patient hose system WITHOUT CO2 measurement, complete, for MEDUMAT Transport, WITH connection cable for BiCheck flow sensor, WITH protective sleeve for hose and reusable measurement hose systems |
| WM 28685 | 2m disposable measurement hose system WITHOUT CO2 measurement for reusable patient hose system for MEDUMAT Transport |
| | Reusable patient hose systems WITHOUT CO2 measurement |
| WM 28296 | 2m reusable patient hose system WITHOUT CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor and WITHOUT protective sleeve for hose |
| WM 28694 | 3m reusable patient hose system WITHOUT CO2 measurement, complete, for MEDUMAT Transport, WITH connection cable for BiCheck flow sensor, WITH protective sleeve for hose and reusable measurement hose systems |
| WM 28699 | 3m reusable patient hose system WITHOUT CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow |

sensor and WITHOUT protective sleeve for hose

Disposable patient hose systems WITH CO2 measurement WITH BiCheck

WM 28435 2m disposable patient hose system WITH CO2 measurement, complete, for MEDUMAT Transport, WITH connection cable for BiCheck flow sensor and WITH protective sleeve for hose

Disposable patient hose systems WITHOUT CO2 measurement WITH BiCheck

WM 28285 2m disposable patient hose system WITHOUT CO2 measurement, complete, for MEDUMAT Transport, WITH connection cable for BiCheck flow sensor, WITH protective sleeve for hose

Disposable patient hose systems WITH CO2 measurement WITHOUT BiCheck

WM 28690 2m disposable hose system WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose

WM 15837 10 pieces of 2m disposable hose systems WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
 Packaging unit: 10 pieces (10x WM 28690)

WM 15838 25 pieces of 2m disposable hose systems WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
 Packaging unit: 25 pieces (25x WM 28690)

WM 15839 50 pieces of 2m disposable hose systems WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
 Packaging unit: 50 pieces (50x WM 28690)

WM 28688 3m disposable hose system WITH CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose

WM 15851 10 pieces of 3m disposable hose systems WITH CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose and
 Packaging unit: 10 pieces (10x WM 28688)

**Disposable patient hose systems WITHOUT CO2 measurement
WITHOUT BiCheck**

- WM 28695 2m disposable hose system WITHOUT CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
- WM 15840 10 pieces of 2m disposable hose systems WITHOUT CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
Packaging unit: 10 pieces (10x WM 28695)
- WM 15841 25 pieces of 2m disposable hose systems WITHOUT CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
Packaging unit: 25 pieces (25x WM 28695)
- WM 15842 50 pieces of 2m disposable hose systems WITHOUT CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
Packaging unit: 50 pieces (50x WM 28695)
- WM 28691 3m disposable hose system WITHOUT CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
- WM 15852 10 pieces of 3m disposable hose systems WITHOUT CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose
Packaging unit: 10 pieces (10x WM 28691)

Disposable patient hose systems with dead space reduced volume

- WM 28183 2m disposable hose system with reduced dead space volume, WITHOUT CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor
- WM 28193 2m disposable hose system with dead space reduced volume WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor
- WM 28215 2m disposable patient hose system with dead space reduced volume WITH CO2 measurement, complete, for MEDUMAT

| | |
|----------|---|
| | Transport, WITH connection cable for BiCheck flow sensor |
| WM 28255 | 2m disposable patient hose system with dead space reduced volume WITHOUT CO2 measurement, complete, for MEDUMAT Transport, WITH connection cable for BiCheck flow sensor |
| WM 15874 | Set of 50 2m disposable hose systems with dead space reduced volume WITHOUT CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor Packaging unit: 50 pieces (50x WM 28183) |
| WM 15873 | 25 pieces of 2m disposable hose systems with dead space reduced volume WITHOUT CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose Packaging unit: 25 pieces (25x WM 28183) |
| WM 15871 | 10 pieces of 2m disposable hose systems with dead space reduced volume WITHOUT CO2 measurement, for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor and WITHOUT protective sleeve for hose Packaging unit: 10 pieces (10x WM 28183) |
| WM 15869 | 50 pieces of 2m disposable hose systems with dead space reduced volume WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor Packaging unit: 50 pieces (50x WM 28193) |
| WM 15868 | 25 pieces of 2m disposable hose systems with dead space reduced volume WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor Packaging unit: 25 pieces (25x WM 28193) |
| WM 15867 | 10 pieces of 2m disposable hose systems with dead space reduced volume WITH CO2 measurement for MEDUMAT Transport, WITHOUT connection cable for BiCheck flow sensor, WITHOUT BiCheck flow sensor Packaging unit: 10 pieces (10x WM 28193) |

Accessories and Replacement Parts for MEDUMAT Transport

| | |
|----------|--|
| WM 22430 | BiCheck flow sensor for MODUL CapnoVol and MEDUMAT Transport |
| WM 28624 | Protective cap for BiCheck flow sensor and |

| | |
|----------|---|
| | connection cable |
| WM 15685 | Set of BiCheck flow sensors, 5 pieces, for MEDUMAT Transport and MODUL CapnoVol |
| WM 28552 | 2m connection cable for BiCheck flow sensor for MEDUMAT Transport |
| WM 28684 | 3m connection cable for BiCheck flow sensor for MEDUMAT Transport |
| WM 28585 | 2m reusable protective sleeve for MEDUMAT Transport ventilation hose and Single/ double patient circuit valve ventilation VENTIllogic LS/ plus |
| WM 28686 | 3m reusable protective sleeve for MEDUMAT Transport ventilation hose |
| WM 15399 | Set of reusable elements for 2m patient hose system (connection cable for BiCheck flow sensor, BiCheck flow sensor, protective sleeve for hose) |
| WM 15529 | Set of reusable elements for 3m patient hose system (connection cable for BiCheck flow sensor, BiCheck flow sensor, protective sleeve for hose) |
| WM 97011 | Set of water filters, Ø 13-mm, packaging unit: 5 pieces |
| WM 28671 | Luer Lock Stopper, disposable |
| WM 28421 | 2m reusable ventilation hose for MEDUMAT Transport |
| WM 28683 | 3m reusable ventilation hose for MEDUMAT Transport |
| WM 28553 | Reusable patient valve, complete for MEDUMAT Transport, consists of: - Body (WM 28476), - Control cover (WM 28472), - Holder for check valve membrane (WM 28473), - Membrane for check valve (WM 28474), - Membrane for control valve (WM 28475) |
| WM 28497 | Reusable angled 90° connector for MEDUMAT Transport |
| WM 28476 | Main body for patient valve for MEDUMAT Transport |
| WM 28472 | Control cover for patient valve, for MEDUMAT Transport |
| WM 28475 | Membrane for control valve, for MEDUMAT Transport |
| WM 28473 | Holder for check valve membrane for MEDUMAT Transport with reusable patient hose system |
| WM 28474 | Membrane for check valve for MEDUMAT Transport with reusable patient hose system |
| WM 15664 | Replacement set for patient tube system, reusable, |

| | |
|----------|---|
| | MEDUMAT Transport |
| WM 15779 | Maintenance set for patient hose system, reusable, MEDUMAT Transport |
| WM 15473 | Set fine dust filter packed, MEDUMAT Transport 5 pieces |
| WM 28360 | Moisture trap for MEDUMAT Transport |
| WM 28385 | Rechargeable battery pack ACCUpack Plus (Li-Ion) for MEDUMAT Transport, externally rechargeable |
| WM 28384 | Rechargeable battery ACCUpack (Li-Ion) for MEDUMAT Transport |
| WM 28305 | Power supply unit and charger for MEDUMAT Transport and for Rechargeable battery pack PLUS, complete, including power cable type F "European plug" (WM 17465) |
| WM 17465 | Power cord, model F, for DE, NL, AT, BE, NO, FI, FR, DK, SE, RU, GR, TR, ID, KR |
| WM 17466 | Power cord, model G, for GB, CN, HK, ID, IQ, KE, KW, MY, QA, SA, SG, AE, VN, YE for power supply unit and charger for MEDUMAT Transport (WM 28305) |
| WM 17467 | Power cord, model I, for AU, NZ for power supply unit and charger for MEDUMAT Transport (WM 28305) |
| WM 17469 | Power cord, model J, for CH for power supply unit and charger for MEDUMAT Transport (WM 28305) |
| WM 27023 | Power supply cord for MEDUMAT Transport BR type NBR 14136 |
| WM 28356 | 12 V power supply cable for MEDUMAT Transport as stand-alone device |
| WM 9107 | 12 V connection cable (without wall mounting) for MEDUMAT Transport, MODUL CapnoVol, mounted on a LIFE-BASE |
| WM 1454 | Test bag for MEDUMAT |
| WM 1231 | Blind cap for G 3/8 male threads |
| WM 15729 | Adapter Walther/NIST for MEDUMAT Transport |

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|---|
| WM 66000 | User Manual MEDUMAT Transport, DE |
| WM 66015 | Brief operating instructions for MEDUMAT Transport, DE |
| WM 66695 | User manual patient hose system for MEDUMAT Transport, DE |
| WM 66001 | User manual MEDUMAT Transport, EN |
| WM 66016 | Brief operating instructions MEDUMAT Transport, |

| | EN |
|----------|---|
| WM 66009 | User Manual MEDUMAT Transport, FR |
| WM 66017 | Brief operating instructions for MEDUMAT Transport, FR |
| WM 66002 | User Manual MEDUMAT Transport, IT |
| WM 66018 | Brief operating instructions for MEDUMAT Transport, IT |
| WM 66003 | User Manual MEDUMAT Transport, PL |
| WM 66023 | Brief operating instructions for MEDUMAT Transport, PL |
| WM 66004 | User Manual MEDUMAT Transport, TR |
| WM 66020 | Brief operating instructions for MEDUMAT Transport, TR |
| WM 66005 | User Manual MEDUMAT Transport, TH |
| WM 66006 | User Manual MEDUMAT Transport, SV |
| WM 66021 | Brief operating instructions for MEDUMAT Transport, SV |
| WM 66007 | User Manual MEDUMAT Transport, ES |
| WM 66026 | Brief operating instructions for MEDUMAT Transport, ES |
| WM 66008 | User Manual MEDUMAT Transport, PT |
| WM 66019 | Brief operating instructions for MEDUMAT Transport, PT |
| WM 66010 | User Manual MEDUMAT Transport, NL |
| WM 66022 | Brief operating instructions for MEDUMAT Transport, NL |
| WM 66014 | User Manual MEDUMAT Transport, DA |
| WM 67240 | Brief operating instructions for MEDUMAT Transport, DA |
| WM 66011 | User Manual MEDUMAT Transport, RU |
| WM 66027 | Brief operating instructions for MEDUMAT Transport, RU |
| WM 66012 | User manual MEDUMAT Transport, EL |
| WM 66025 | Brief operating instructions for MEDUMAT Transport, EL |
| WM 67225 | User Manual MEDUMAT Transport, ZH |
| WM 67227 | User Manual MEDUMAT Transport, RO |
| WM 67242 | Brief operating instructions for MEDUMAT Transport, RO |
| WM 66670 | Supplemental for moisture trap, MEDUMAT Transport, DE, GB |
| WM 66666 | Supplemental instruction for moisture trap, MEDUMAT Transport, EL |
| WM 66667 | Supplemental instruction for moisture trap, MEDUMAT Transport, SV |
| WM 66668 | Supplemental instruction for moisture trap, MEDUMAT Transport, NL, ES |

| | |
|----------|---|
| WM 66669 | Supplemental instruction for moisture trap, MEDUMAT Transport, FR, IT |
| WM 66695 | User manual patient hose system for MEDUMAT Transport, DE |
| WM 66696 | User manual patient hose system for MEDUMAT Transport, EN, ES, PT |
| WM 66697 | User manual patient hose system for MEDUMAT Transport, FR, NL, IT |
| WM 66698 | User manual patient hose system for MEDUMAT Transport, PL, RU |
| WM 66699 | User manual patient hose system for MEDUMAT Transport, TR, EL |
| WM 66700 | User manual patient hose system for MEDUMAT Transport, TH |
| WM 66701 | User manual patient hose system for MEDUMAT Transport, SV |
| WM 66702 | User manual patient hose system for MEDUMAT Transport, DA |
| WM 66704 | User manual patient hose system for MEDUMAT Transport, RO |
| WM 66705 | User manual patient hose system for MEDUMAT Transport, KO |

Mobile Hospital Stand MEDUcart Bedside

| | |
|----------|---|
| WM 28780 | <p>MEDUcart Bedside Mobile hospital stand for MEDUMAT Transport, ACCUVAC and oxygen cylinder, ULM CASE or RESCUE-PACK Supply schedule: Aluminium cart base with four (4) castors, two (2) of which with brake, 38 mm column, handle, Cylinder mounting with support and belt for oxygen cylinder (5 L oder 10 L), Three (3) standard hospital rails, One (1) accessories basket, Tools required for mounting of the MEDUcart</p> |
|----------|---|

Optional Accessories MEDUcart Bedside

| | |
|----------|--|
| WM 28786 | Articulated arm, complete , for MEDUcart |
| WM 28794 | Mounting suitable for ULM CASE I, II or III or RESCUE-PACK or RESCUE-PACK I, including attachment set for pole mount Ø 19 mm - 40 mm |

Accessories and Replacement Parts for MEDUcart Bedside

| | |
|----------|---------------------------------------|
| WM 28781 | Castor Ø 125 mm, for MEDUcart Bedside |
|----------|---------------------------------------|

| | |
|----------|--|
| WM 28782 | Castor Ø 125 mm with brake, for MEDUcart Bedside |
| WM 28783 | Standard hospital rail (25 x 10 x 400mm) incl. tension clip for Ø 38 mm column, for MEDUcart |
| WM 28784 | Handle, complete, for MEDUcart Bedside |
| WM 28795 | Accessories basket for standard hospital rail |
| WM 28796 | Cylinder support, complete, for MEDUcart Bedside |
| WM 28785 | Belt for cylinder mounting, MEDUcart |
| WM 28787 | Articulated arm, lower segment, for MEDUcart |
| WM 28788 | Articulated arm, mid segment, for MEDUcart |
| WM 28789 | Articulated arm, upper segment, for MEDUcart |
| WM 28791 | Locking lever with cap nut and friction ring, for articulated arm MEDUcart |
| WM 28792 | Double hose clamp, for articulated arm MEDUcart |
| WM 28793 | Single hose clamp (1 packing unit = set of 3), for articulated arm MEDUcart |

MEDUMAT Standard a - Stand-alone Device

| | |
|----------|---|
| WM 22800 | MEDUMAT Standard a Ventilator, complete, for controlled and assisted ventilation (IPPV) with alarm system with: Patient hose system with patient valve (WM 22520), ventilation mask with inflatable mask seal of silicone for adults, Size 5 (WM 5074), Test set for functional check (WM 15382), Set of mounting elements (WM 15288) |
| WM 22140 | MEDUMAT Standard a Ventilator, japanese, complete, for controlled and assisted ventilation (IPPV) with alarm system with: Patient hose system with patient valve (WM 22520), ventilation mask with inflatable mask seal of silicone for adults, Size 5 (WM 5074), Test set for functional check (WM 15382), Set of mounting elements (WM 15288) |

Portable Systems with MEDUMAT Standard a

| | |
|---------|---|
| WM 8200 | LIFE-BASE Mini II with MEDUMAT Standard a and MODUL Oxygen Supply Schedule: MEDUMAT Standard a Ventilator, complete (WM 22800), MODUL Oxygen (WM 22200), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22315), Inhalation mask with connection hose |
|---------|---|

| | |
|----------|--|
| WM 8215 | <p>(WM 1429), Accessories bag (WM 8142), LIFE-BASE Mini II portable system, pre-assembled (WM 8123)</p> <p>LIFE-BASE III with protective bag and bedrail holder with MEDUMAT Standard a and MODUL Oxygen</p> <p>Supply Schedule: MEDUMAT Standard a Ventilator, complete (WM 22800), MODUL Oxygen (WM 22360), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22367), Inhalation mask with connection hose (WM 1429), LIFE-BASE III portable system, pre-assembled (WM 8173), Protective bag (WM 8295)</p> |
| WM 8205 | <p>LIFE-BASE II with MEDUMAT Standard a and MODUL Combi</p> <p>Supply Schedule: MEDUMAT Standard a Ventilator, complete (WM 22800), MODUL Combi (WM 22370), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22305), OMNIVAC aspiration equipment with 250-ml collection canister (WM 2280), Swiveling holder for collection canister (WM 2262), Inhalation mask with connection hose (WM 1429), Accessories bag (WM 8141), LIFE-BASE II portable system, pre-assembled (WM 8103)</p> |
| WM 8210 | <p>LIFE-BASE II with MEDUMAT Standard a and MODUL Oxygen</p> <p>Supply Schedule: MEDUMAT Standard a Ventilator, complete (WM 22800), MODUL Oxygen (WM 22360), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22305), Inhalation mask with connection hose (WM 1429), Accessories bag (WM 8141), LIFE-BASE II portable system, pre-assembled (WM 8103)</p> |
| WM 28245 | <p>LIFE-BASE light with protective bag and MEDUMAT Standard a</p> <p>Supply Schedule: MEDUMAT Standard a ventilation device, complete (WM 22800), Pressure hose, 3m, for central gas system outlet (WM 22312), Portable system LIFE-BASE light (WM 28370), Protective bag (WM 8023)</p> |

ULM CASE with MEDUMAT Standard a

WM 5223

ULM CASE I Respiration with basic equipment with MEDUMAT Standard a
 ULM CASE I, empty (WM 8840)
 MEDUMAT Standard a (WM 22800)
 Set of Respiration case labels (WM 15515),
 Holder for MEDUMAT (WM 8850)
 Test set (WM 15294)
 Oxygen device (WM 3605) consisting of:
 oxygen cylinder 2.0-liter, filled at 200 bar (WM 1822) with OXYWAY Fast II, pressure reducer with dosage dial, adjustable dosages in levels 1,2,3,4,5,6,9,12,15 liters/min., second outlet G3/8 fixed (90 liters/min) (WM 30851)
 Check valve (WM 3737), Respiration hose, 2 meters (WM 1411) and angled connection socket (WM 22319),
 Set of retaining straps for oxygen cylinder (WM 15141)
 Pressure hose, 600 mm with connection socket (WM 5733)
 Pressure hose, 1000 mm with seal fitting and angled connection (WM 5734)
 Inhalation mask with resuscitator, hose (WM 1422)
 Ventilation mask for children and juveniles, Size 3 (WM 5082)
 Rendell-Baker Mask, Size 3 (WM 5063)
 Oropharyngeal airway for adults, Size 3 (WM 3165)
 Oropharyngeal airway for juveniles, Size 2 (WM 3163)
 Nasopharyngeal airway Ch. 26 (WM 5138)
 Nasopharyngeal airway Ch. 30 (WM 5140)
 OMNIVAC (WM 2265)
 Holder for OMNIVAC (WM 8845)
 Aspiration catheters Ch. 06 (WM 5155)
 Aspiration catheters Ch. 10 (WM 5157)

RESCUE-PACK with MEDUMAT Standard a

WM 9090

RESCUE-PACK with basic Respiration equipment with MEDUMAT Standard a
 Supply Schedule:
 RESCUE-PACK, empty (WM 9085),
 Ampoule tray (WM 9015),
 Padded cover for ampoule tray (WM 9004)
 MEDUMAT Standard a ventilation device, complete (WM 22800),
 Pressure hose (WM 22302),
 Angled connection nozzle (WM 31130)
 OXYWAY Fast II (WM 30851)
 2-liter oxygen cylinder (WM 1822),

Tension belt for O2 cylinder, 2 pcs. (WM 15141),
 Inhalation mask with bag, hose (WM 1422),
 COMBIBAG bag-valve mask resuscitator for
 adults and children (WM 11000),
 Oxygen reservoir for COMBIBAG
 (WM 11052),
 Ventilation mask for children and juveniles,
 Size 3 (WM 5082),
 Resuscitation mask with inflatable mask seal of
 silicone for adults, Size 5 (WM 5074),
 Rendell-Baker mask, Size 3 (WM 5063),
 Set Oropharyngeal tubes (Guedel) (WM 15483),
 Set Nasopharyngeal tubes (Wendl)
 (WM 15484),
 MANUVAC suction pump (WM 10800),
 Set suction catheters (WM 15051),
 Tension belt for MANUVAC (WM 1769)

Device Variations - France

WM 22850

MEDUMAT Standard a Ventilator, complete,
 for controlled ventilation (IPPV) and assisted
 ventilation (SIMV)
 with alarm system and front panel in French
 with:
 Two (2) patient hose systems with patient valve
 (WM 22520),
 Ventilation mask with inflatable mask seal of
 silicone for adults, Size 5 (WM 5074),
 Test set for functional check (WM 15382),
 Set of mounting elements
 (WM 15288),
 Pressure hose 1500 mm, dual bayonet
 connection (AFNOR) (WM 22857),
 Angled adapter for French coupler (WM 22910)

WM 22880

MEDUMAT Standard a ventilation device,
 complete, for controlled ventilation (IPPV) and assisted
 ventilation (SIMV)
 with alarm system
 with front panel in French
 with disposable ventilation hose system with
 patient valve (WM 28110) 10 pcs.,
 Ventilation mask with seal of inflatable silicone
 for adults, Size 5 (WM 5074),
 Test set for functional check (WM 15335),
 Assembly set (WM 15288),
 Pressure hose 1500 mm, double-ended
 bayonet connection (AFNOR) (WM 22857),
 Angled adapter for French connection (WM 22910)

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|---|
| WM 16676 | User Manual MEDUMAT Standard a, DE |
| WM 16686 | Brief operating instructions for MEDUMAT Standard a, DE |
| WM 66033 | User manual patient hose system,disposable, for MEDUMAT Easy, Standard and Standard a, DE, EN, FR |
| WM 67100 | User manual for retrofitting set for device outlet filter for MEDUMAT Standard and Standard a, DE, EN, FR |
| WM 16677 | User Manual MEDUMAT Standard a, EN |
| WM 16687 | Brief operating instructions MEDUMAT Standard a, EN |
| WM 16678 | User Manual MEDUMAT Standard a, FR |
| WM 16688 | Brief operating instructions MEDUMAT Standard a, FR |
| WM 16679 | User Manual MEDUMAT Standard a, IT |
| WM 66372 | Brief operating instructions for MEDUMAT Standard a, IT |
| WM 16683 | User Manual MEDUMAT Standard a, ES |
| WM 66371 | Brief operating instructions for MEDUMAT Standard a, ES |
| WM 16684 | User Manual MEDUMAT Standard a, NL |
| WM 66369 | Brief operating instructions for MEDUMAT Standard a, NL |
| WM 16685 | User Manual MEDUMAT Standard a, PT |
| WM 16689 | User Manual MEDUMAT Standard a, NO |
| WM 16700 | User Manual MEDUMAT Standard a FI |
| WM 66370 | Brief operating instructions for MEDUMAT Standard a, NO |
| WM 66275 | User Manual MEDUMAT Standard a, PL |
| WM 66365 | Brief operating instructions MEDUMAT Standard a, PL |
| WM 66276 | User Manual MEDUMAT Standard a, ZH |
| WM 66366 | Brief operating instructions MEDUMAT Standard a, ZH |
| WM 66277 | User Manual MEDUMAT Standard a, RU |
| WM 66367 | Brief operating instructions MEDUMAT Standard a, RU |
| WM 66278 | User Manual for MEDUMAT Standard a, TR |
| WM 66373 | Brief operating instructions for MEDUMAT Standard a, TR |
| WM 67141 | User Manual for MEDUMAT Standard a, EL |
| WM 66375 | Brief operating instructions MEDUMAT Standard a, SV |
| WM 66376 | Brief operating instructions MEDUMAT Standard a, TH |
| WM 66377 | Brief operating instructions MEDUMAT Standard a, |

| | |
|----------|--|
| | DA |
| WM 66279 | User Manual MEDUMAT Standard a, JA |
| WM 66374 | Brief operating instructions MEDUMAT Standard a, JA |
| WM 16701 | User Manual for MEDUMAT Standard a, ID |

MEDUMAT Standard - Stand-alone Device

| | |
|----------|---|
| WM 22500 | MEDUMAT Standard Ventilation Device, complete for controlled ventilation (IPPV) with alarm system consisting of: Patient hose system with patient valve (WM 22520), Ventilation mask with inflatable mask seal of silicone for adults, Size 5 (WM 50754), Test set for functional check (WM 15335), Set of mounting elements (WM 15288) |
| WM 22100 | MEDUMAT Standard Ventilation Device, japanese, complete for controlled ventilation (IPPV) with alarm system consisting of: Patient hose system with patient valve (WM 22520), Ventilation mask with inflatable mask seal of silicone for adults, Size 5 (WM 50754), Test set for functional check (WM 15335), Set of mounting elements (WM 15288) |

Portable Systems with MEDUMAT Standard

| | |
|---------|---|
| WM 8251 | LIFE-BASE III with protective bag and bedrail holder with MEDUMAT Standard and MODUL CPAP Supply Schedule: MEDUMAT Standard Ventilator, complete (WM 22500), MODUL CPAP (WM 29100), 2-liter oxygen cylinder (WM 1822), OXYWAY Fast II (WM 30851), Pressure hose (WM 22367), Inhalation mask with connection hose (WM 1429), LIFE-BASE III portable system (WM 8173), Protective bag (WM 8295), Large starter set for CPAP therapy, consists of: Set, CPAP-Boussignac for MODUL CPAP, disposable, ten (10) pieces (WM 15638), CPAP-/NIV disposable mask with air cushion, Size S (child) with retaining ring for headgear, two (2) pieces (WM 20703), CPAP/NIV disposable mask with air cushion, Size M (adult), with retaining ring for headgear, four (4) pieces (WM 20704), CPAP/NIV disposable mask with air cushion, |
|---------|---|

| | |
|---------|--|
| WM 9121 | <p>Size L (large adult), with retaining ring for headgear, four (4) pieces (WM 20705), Headgear for CPAP-/NIV masks (WM 20702)</p> <p>LIFE-BASE Mini II with MEDUMAT Standard and MODUL CPAP</p> <p>Supply Schedule: MEDUMAT Standard Ventilation Device, complete (WM 22500), MODUL CPAP (WM 29100), 2-liter oxygen cylinder (WM 1822), OXYWAY Fast II (WM 30891), Pressure hose (WM 22315), Inhalation mask with connection hose (WM 1429), Accessory bag (WM 8142) LIFE-BASE mini II portable system, pre-assembled (WM 8123) Large starter set for CPAP therapy, consists of: Set, CPAP-Boussignac for MODUL CPAP, disposable, ten (10) pieces (WM 15638), CPAP-/NIV disposable mask with air cushion, Size S (child) with retaining ring for headgear, two (2) pieces (WM 20703), CPAP/NIV disposable mask with air cushion, Size M (adult), with retaining ring for headgear, four (4) pieces (WM 20704), CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear, four (4) pieces (WM 20705), Headgear for CPAP-/NIV masks (WM 20702)</p> |
| WM 8120 | <p>LIFE-BASE Mini II with MEDUMAT Standard and MODUL Oxygen</p> <p>Supply Schedule: MEDUMAT Standard Ventilation Device, complete (WM 22500), MODUL Oxygen (WM 22200), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22315), Inhalation mask with connection hose (WM 1429), LIFE-BASE Mini II portable system (WM 8123), pre-assembled Accessories bag (WM 8142)</p> |
| WM 8170 | <p>LIFE-BASE Mini II with MEDUMAT Standard and OXYWAY Fast II pressure reducer and T-shaped distributor</p> <p>Supply Schedule: MEDUMAT Standard ventilator, complete (WM 22500), 2-l-Oxygen bottle (WM 1822), OXYWAY Fast II (WM 30851), pressure hose (WM 22315),</p> |

| | |
|---------|---|
| WM 9160 | <p>T-shaped distributor without check valve(WM 8187), inhalation masc with connection hose (WM 1429), accessory bag (WM 8142), portable system LIFE-BASE Mini II, preassambled (WM8123)</p> <p>LIFE-BASE Mini II with detachable MEDUMAT Standard and MODUL Oxygen</p> <p>Supply Schedule: MEDUMAT Standard Ventilation Device, complete (WM 22500), MODUL Oxygen (WM 22360), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 5795), Pressure hose (WM 8153), Inhalation mask with connection hose (WM 1429), Accessories bag (WM 8142), Portable system with MEDUMAT Station (WM 9163)</p> |
| WM 8240 | <p>LIFE-BASE III with protective bag and bedrail holder with MEDUMAT Standard and MODUL Oxygen</p> <p>Supply Schedule: MEDUMAT Standard Ventilator, complete (WM 22500), MODUL Oxygen (WM 22360), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22367), Inhalation mask with connection hose (WM 1429), LIFE-BASE III portable system, pre-assembled, (WM 8173), Protective bag (WM 8295)</p> |
| WM 9150 | <p>LIFE-BASE III with protective bag and bedrail holder with detachable MEDUMAT Standard and MODUL Oxygen</p> <p>Supply Schedule: MEDUMAT Standard Ventilation Device, complete (WM 22500), MODUL Oxygen (WM 22360), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 5796), Pressure hose (WM 8153), Adapter for connection plug G 3/8 (WM 1485) Inhalation mask with connection hose (WM 1429), LIFE-BASE III portable system, pre-assembled, with Station MEDUMAT , (WM 9153) Protective bag (WM 8295)</p> |
| WM 8100 | <p>LIFE-BASE II with MEDUMAT Standard and MODUL Combi</p> <p>Supply Schedule: MEDUMAT Standard Ventilation Device,</p> |

complete (WM 22500), MODUL Combi (WM 22370), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22305), OMNIVAC aspiration equipment with 250-ml collection canister, swivelling (WM 2262), Inhalation mask with connection hose (WM 1429), Accessories bag (WM 8141), LIFE-BASE II portable system, pre-assembled (WM 8103)

WM 8105 LIFE-BASE II with MEDUMAT Standard with MODUL Oxygen
Supply Schedule:
MEDUMAT Standard Ventilation Device, complete (WM 22500), MODUL Oxygen (WM 22360), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22305), Inhalation mask with connection hose (WM 1429), Accessories bag (WM 8141), LIFE-BASE II portable system, pre-assembled (WM 8103)

WM 8110 LIFE-BASE II with detachable MEDUMAT Standard and MODUL Oxygen
Supply Schedule:
MEDUMAT Standard Ventilation Device, complete (WM 22500), Station MEDUMAT (WM 22689), MODUL Oxygen (WM 22360), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22305), Pressure hose (WM 8153), Inhalation mask with connection hose (WM 1429), Accessories bag (WM 8141), LIFE-BASE II portable system, pre-assembled (WM 8103)

ULM CASE with MEDUMAT Standard

WM 5222 ULM CASE I Respiration with basic equipment with MEDUMAT Standard
ULM CASE I, empty (WM 8840)
MEDUMAT Standard (WM 22500)
Set of Respiration case labels (WM 15515),
Holder for MEDUMAT (WM 8850)
Test set (WM 15294)
Oxygen device (WM 3605) consisting of:
oxygen cylinder 2.0-liter, filled at 200 bar (WM 1822) with OXYWAY Fast II, pressure reducer with dosage dial, adjustable dosages in levels 1,2,3,4,5,6,9,12,15 liters/min., second outlet G3/8 fixed (90 liters/min) (WM 30851)
Check valve (WM 3737), Respiration hose, 2 meters (WM 1411) and angled connection socket (WM 22319),

Set of retaining straps for oxygen cylinder
(WM 15141)
Pressure hose, 600 mm with connection socket
(WM 5733)
Pressure hose, 1000 mm with seal fitting and
angled connection (WM 5734)
Inhalation mask with resuscitator, hose
(WM 1422)
Ventilation mask for children and juveniles,
Size 3 (WM 5082)
Rendell-Baker Mask, Size 3 (WM 5063)
Oropharyngeal airway for adults, Size 3
(WM 3165)
Oropharyngeal airway for juveniles, Size 2
(WM 3163)
Nasopharyngeal airway Ch. 26 (WM 5138)
Nasopharyngeal airway Ch. 30 (WM 5140)
OMNIVAC (WM 2265)
Holder for OMNIVAC (WM 8845)
Aspiration catheters Ch. 06 (WM 5155)
Aspiration catheters Ch. 10 (WM 5157)

RESCUE-PACK with MEDUMAT Standard

WM 9065

RESCUE-PACK I with basic Respiration
equipment with MEDUMAT Standard
Supply Schedule:
RESCUE-PACK I , pre-assembled with Station
MEDUMAT (WM 9042),
Ampouliarium (WM 8427),
MEDUMAT Standard (WM 22500),
Pressure hose (WM 22305),
Angled connection nozzle (WM 31130),
OXYWAY Fast II (WM 30851),
Protective console for pressure reducer
(WM 9047),
2-liter oxygen cylinder (WM 1822),
Tension belt for O₂ cylinder, 2 pcs. (WM 15141),
Inhalation mask with bag, hose, (WM 1422),
Ventilation mask for children and juveniles,
Size 3 (WM 5082),
Rendell-Baker mask, Size 3 (WM 5063),
Set Oropharyngeal tubes (Guedel) (WM 15483),
Set Nasopharyngeal tubes (Wendl)
(WM 15484),
Accessories bag S, blue (WM 9022)

WM 9080

RESCUE-PACK with Basic Respiration equipment
with MEDUMAT Standard
Supply Schedule:
RESCUE-PACK, pre-assembled with
Station MEDUMAT (WM 9085),
Ampoule tray (WM 9015),
Padded cover for ampoule tray (WM 9004),
MEDUMAT Standard (WM 22500),

Pressure hose (WM 22302),
 Angled connection nozzle (WM 31130),
 OXYWAY Fast II (WM 30851),
 2-L Oxygen cylinder (WM 1822),
 Tension belt for O2 cylinders,
 2 pcs. (WM 15141),
 Inhalation mask with bag, hose
 (WM 1422),
 COMBIBAG bag-valve-mask resuscitator
 for adults and children
 (WM 11000),
 Oxygen reservoir for COMBIBAG
 (WM 11052),
 Ventilation mask for children and
 juveniles, Size 3 (WM 5082)
 Rendell-Baker mask, Size 3 (WM 5063),
 Set Oropharyngeal tubes (Guedel)
 (WM 15483),
 Set Nasopharyngeal tubes (Wendl)
 (WM 15484),
 MANUVAC suction pump (WM 10800),
 Set suction catheters (WM 15051),
 Tension belt for MANUVAC (WM 1769)

Device Variations - France

WM 22900

MEDUMAT Standard Ventilation Device,
 complete
 for controlled ventilation (IPPV) with alarm
 system and front panel in French
 with two patient hose systems with patient
 valve (WM 22520),
 Ventilation mask with inflatable mask seal of
 silicone for adults, Size 5 (WM 5074),
 Test set for functional check (WM 15335),
 Set of mounting elements (WM 15288),
 Pressure hose 1500 mm, dual bayonet
 connection (AFNOR) (WM 22857),
 Angled adapter for French coupler (WM 22910)

WM 22940

MEDUMAT Standard ventilation device, complete
 for controlled ventilation (IPPV) with alarm system
 with front panel in French
 with disposable ventilation hose system with
 patient valve (WM 28110) 10 pcs.,
 Ventilation mask with seal of inflatable silicone
 for adults, Size 5 (WM 5074),
 Test set for functional check (WM 15335),
 Assembly set (WM 15288),
 Pressure hose 1500 mm, double-ended
 bayonet connection (AFNOR) (WM 22857),
 Angled adapter for French connection (WM 22910)

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|---|
| WM 16173 | User Manual for MEDUMAT Standard, DE |
| WM 16177 | Brief operating instructions for MEDUMAT Standard, DE |
| WM 66033 | User manual patient hose system,disposable, for MEDUMAT Easy, Standard and Standard a, DE, EN, FR |
| WM 67100 | User manual for retrofitting set for device outlet filter for MEDUMAT Standard and Standard a, DE, EN, FR |
| WM 16174 | User Manual for MEDUMAT Standard, EN |
| WM 16178 | Brief operating instructions for MEDUMAT Standard, EN |
| WM 16175 | User Manual for MEDUMAT Standard, FR |
| WM 16179 | Brief operating instructions for MEDUMAT Standard, FR |
| WM 16176 | User Manual for MEDUMAT Standard, PT |
| WM 16180 | Brief operating instructions for MEDUMAT Standard, PT |
| WM 16252 | User Manual for MEDUMAT Standard, IT |
| WM 16254 | Brief operating instructions for MEDUMAT Standard, IT |
| WM 16605 | User Manual for MEDUMAT Standard, NL |
| WM 16606 | Brief operating instructions for MEDUMAT Standard, NL |
| WM 16126 | User Manual for MEDUMAT Standard, ES |
| WM 16878 | Brief operating instructions for MEDUMAT Standard, ES |
| WM 66271 | User Manual for MEDUMAT Standard, ZH |
| WM 66361 | Brief operating instructions for MEDUMAT Standard, ZH |
| WM 66270 | User Manual for MEDUMAT Standard, PL |
| WM 66360 | Brief operating instructions for MEDUMAT Standard, PL |
| WM 66272 | User Manual for MEDUMAT Standard, RU |
| WM 66362 | Brief operating instructions for MEDUMAT Standard, RU |
| WM 66274 | User Manual for MEDUMAT Standard, EL |
| WM 66364 | Brief operating instructions for MEDUMAT Standard, EL |
| WM 66269 | User Manual for MEDUMAT Standard, TR |
| WM 67130 | User Manual MEDUMAT Standard, CS |
| WM 66356 | Brief operating instructions MEDUMAT Standard, DA |
| WM 66357 | Brief operating instructions MEDUMAT Standard, SV |
| WM 66268 | User Manual MEDUMAT Standard, JA |

WM 66358 Brief operating instructions MEDUMAT Standard,
JA

MEDUMAT Easy CPR - Stand-alone Devices

WM 28140 MEDUMAT Easy CPR ventilation device,
complete with voice prompts for user guidance
(DE, EN, FR, IT, ES, PT, BR, NL, NO
SV, DA, FI, IS)
for controlled ventilation (IPPV) with CPR support,
oxygen inhalation in demand flow mode,
alarm system with MEDUtrigger for manual breath
initiation (WM 20900),
Patient hose system with patient valve,
one (1) piece (WM 22520)
Ventilation mask with inflatable mask
seal of silicone for adults Size 5 (WM 5074),
Reusable protective sleeve for ventilation hose
(WM 8297)
Test set for functional check (WM 15357),
Set of mounting elements (WM 15007)

WM 28160 MEDUMAT Easy CPR ventilation device,
complete with voice prompts for user guidance
(RU, PL, CS, ZH, JA, AR, FA, DE, EN, TR, TH,
ID) for controlled ventilation (IPPV) with CPR
support, oxygen inhalation in demand flow mode
and alarm system with MEDUtrigger for manual
breath initiation (WM 20900),
Patient hose system with patient valve
(WM 22520),
Ventilation mask with inflatable mask
seal of silicone for adults Size 5 (WM 5074),
Reusable protective sleeve for ventilation hose
(WM 8297)
Test set for functional check (WM 15357),
Set of mounting elements (WM 15007)

Device Variations - France

WM 28150 MEDUMAT Easy CPR ventilation device,
complete with voice prompts for user guidance
(DE, EN, FR, IT, ES, PT, BR, NL, NO,
SV, DA, FI, IS)
for controlled ventilation (IPPV) with CPR support,
oxygen inhalation in demand flow mode,
alarm system and front panel in French with
MEDUtrigger for manual breath initiation
(WM 20900),
Patient hose system with patient valve,
two (2) pieces (WM 22520),
Ventilation mask with inflatable mask
seal of silicone for adults Size 5 (WM 5074),
Reusable protective sleeve for ventilation hose
(WM 8297)
Test set for functional check (WM 15357),

- WM 28161 Set of mounting elements (WM 15007)
MEDUMAT Easy CPR ventilation device,
complete with voice prompts for user guidance
(DE, EN, FR, IT, ES, PT, NL, NO, SV, DA, FI, IS)
for controlled ventilation (IPPV) with CPR support,
oxygen inhalation in demand flow mode,
alarm system and front panel in French with
MEDUtrigger for manual breath initiation
(WM 20900),
Patient hose system with patient valve,
disposable, ten (10) pieces (WM 28110),
Ventilation mask with inflatable mask
seal of silicone for adults Size 5 (WM 5074),
Reusable protective sleeve for ventilation hose
(WM 8297)
Test set for functional check (WM 15357),
Set of mounting elements (WM 15007)

Portable Systems with MEDUMAT Easy CPR

- WM 9155 LIFE-BASE III with protective bag and bedrail
holder with MEDUMAT Easy CPR
Supply schedule:
MEDUMAT Easy CPR ventilation device,
complete (WM 28140),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fast II (WM 30851),
T-shaped distributor with check valve (WM 8220),
pressure hose (WM 5791),
LIFE-BASE III portable system, pre-assembled
(WM 8173),
Protective bag (WM 8295)
- WM 8000 LIFE-BASE III MCI with MEDUMAT Easy CPR,
MODUL Oxygen and three-fold distributor
Supply Schedule:
MEDUMAT Easy CPR ventilation device,
complete (WM 28140),
MODUL Oxygen (WM 22360),
Three-fold distributor, preset to 10 L/min
(WM 3834),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fix III (WM 30301),
Pressure hose (WM 22869),
Inhalation mask with connection hose
(WM 1429),
LIFE-BASE III portable system, pre-assembled
(WM 8227),
Protective bag (WM 8295)
- WM 28230 LIFE-BASE light with accessory bag and
MEDUMAT Easy CPR.
Supply Schedule:
MEDUMAT Easy CPR ventilation device,
complete (WM 28140),
Pressure hose, 3m, for central gas system outlet

(WM 22312),
Portable system LIFE-BASE light (WM 28370),
Accessory bag (WM 8022)

WM 28235 LIFE-BASE light with protective bag, MEDUMAT Easy CPR and MODUL CPAP
Supply Schedule:
MEDUMAT Easy CPR ventilation device, complete (WM 28140),
MODUL CPAP for CPAP therapy 0-15 mbar (WM 29125), with O2 quick-release coupler (type Walther), with small starter set for CPAP therapy, consists of:
CPAP-Boussignac for MODUL CPAP, disposable (WM 29119), CPAP/NIV disposable mask with air cushion, Size M (adult), with retaining ring for headgear (WM 20704),
Headgear for CPAP-/NIV masks (WM 20702),
Pressure hose, 3m, for central gas system outlet (WM 22312),
Portable system LIFE-BASE light (WM 28370),
Protective bag (WM 8023)

RESCUE PACK with MEDUMAT Easy CPR

WM 9076 RESCUE-PACK I with basic Respiration equipment with MEDUMAT Easy CPR
Supply Schedule:
RESCUE-PACK I, empty (WM 9060),
Ampoule tray (WM 8427),
MEDUMAT Easy CPR ventilation device, complete (WM 28140),
Pressure hose (WM 22320),
OXYWAY Fix III (WM 30301),
Protective console for pressure reducer (WM 9047),
2-liter oxygen cylinder (WM 1822),
Tension belt for O2 cylinder, 2 pcs. (WM 15141),
Ventilation mask for children and juveniles, Size 3 (WM 5082),
Resuscitation mask with inflatable mask seal of silicone for adults, Size 5 (WM 5074)
Rendell-Baker mask, Size 3 (WM 5063),
Set Oropharyngeal tubes (Guedel) (WM 15483),
Set Nasopharyngeal tubes (Wendl) (WM 15484),
Accessory bag, Size S, blue (WM 9022)

WM 9071 RESCUE-PACK with basic Respiration equipment with MEDUMAT Easy CPR
Supply Schedule:
RESCUE-PACK, empty (WM 9000),
Ampoule tray (WM 9015),
Padded cover for ampoule tray (WM 9004)
MEDUMAT Easy CPR ventilation device, complete (WM 28140),
Pressure hose (WM 22320),

OXYWAY Fix III (WM 30301),
 2-liter oxygen cylinder (WM 1822),
 Tension belt for O2 cylinder, 2 pcs. (WM 15141),
 COMBIBAG bag-valve mask resuscitator for
 adults and children (WM 11000),
 Ventilation mask for children and juveniles,
 Size 3 (WM 5082),
 Rendell-Baker mask, Size 3 (WM 5063),
 Set Oropharyngeal tubes (Guedel) (WM 15483),
 Set Nasopharyngeal tubes (Wendl)
 (WM 15484),
 MANUVAC suction pump (WM 10800),
 Set suction catheters (WM 15051),
 Tension belt for MANUVAC (WM 1769)

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|--|
| WM 67270 | User manual MEDUMAT Easy CPR, DE |
| WM 67290 | Brief operating instructions MEDUMAT Easy CPR, DE |
| WM 67271 | User manual MEDUMAT Easy CPR, EN, ES, PT |
| WM 67291 | Brief operating instructions MEDUMAT Easy CPR, EN, ES, PT |
| WM 67272 | User manual MEDUMAT Easy CPR, IT, FR, NL |
| WM 67292 | Brief operating instructions MEDUMAT Easy CPR, IT, FR, NL |
| WM 67273 | User manual MEDUMAT Easy CPR, DA, SV, NO |
| WM 67293 | Brief operating instructions MEDUMAT Easy CPR, DA, SV, NO |
| WM 67277 | User manual MEDUMAT Easy CPR, IS, FI |
| WM 67297 | Brief operating instructions MEDUMAT Easy CPR, IS, FI |
| WM 67274 | User manual MEDUMAT Easy CPR, RU, PL, CS |
| WM 67294 | Brief operating instructions MEDUMAT Easy CPR, RU, PL, CS |
| WM 67278 | User manual MEDUMAT Easy CPR, TR, TH, ID |
| WM 67298 | Brief operating instructions MEDUMAT Easy CPR, TR, TH, ID |
| WM 67279 | User manual MEDUMAT Easy CPR, FA |
| WM 67299 | Brief operating instructions MEDUMAT Easy CPR, FA |
| WM 67276 | User manual MEDUMAT Easy CPR, AR |
| WM 67296 | Brief operating instructions MEDUMAT Easy CPR, AR |
| WM 67275 | User manual MEDUMAT Easy CPR, ZH |
| WM 67295 | Brief operating instructions MEDUMAT Easy CPR, ZH |

MEDUMAT Easy - Stand-alone Device

- WM 28000 MEDUMAT Easy ventilation device, complete with voice prompts for user guidance (DE, EN, FR, IT, ES, PT, BR, NL, NO, SV, DA, FI, IS) for controlled ventilation (IPPV) and oxygen inhalation in demand flow mode with alarm system, with patient hose system with patient valve (WM 22520), ventilation mask with inflatable mask seal of silicone for adults Size 5 (WM 5074), Test set for functional check (WM 15323), Set of mounting elements (WM 15007)
- WM 28020 MEDUMAT Easy ventilation device, complete with voice prompts for user guidance (RU, PL, CS, ZH, JA, AR, FA, DE, EN, TR, TH, ID) for controlled ventilation (IPPV) and oxygen inhalation in demand flow mode with alarm system, with patient hose system with patient valve (WM 22520), ventilation mask with inflatable mask seal of silicone for adults Size 5 (WM 5074), Test set for functional check (WM 15323), Set of mounting elements (WM 15007)
- WM 28120 MEDUMAT Easy ventilation device, japanese, complete with voice prompts for user guidance for controlled ventilation (IPPV) and oxygen inhalation in demand flow mode with alarm system, with patient hose system with patient valve (WM 22520), ventilation mask with inflatable mask seal of silicone for adults Size 5 (WM 5074), Test set for functional check (WM 15323), Set of mounting elements (WM 15007)

Portable Systems with MEDUMAT Easy

- WM 9131 LIFE-BASE III with protective bag and bedrail holder with MEDUMAT Easy and MODUL CPAP
 Supply Schedule:
 MEDUMAT Easy Ventilator, complete (WM 28000),
 MODUL CPAP (WM 29100),
 2-liter oxygen cylinder (WM 1822),
 OXYWAY Fast II (WM 30851),
 T-shaped distributor with check valve (WM 8220)
 Pressure hose (WM 5791),
 LIFE-BASE III portable system, pre-assembled, (WM 8173),
 Protective bag (WM 8295),
 Large starter set for CPAP therapy, consists of:
 Set, CPAP-Boussignac for MODUL CPAP, disposable, ten (10) pieces (WM 15638),
 CPAP-/NIV disposable mask with air cushion,

- Size S (child) with retaining ring for headgear,
two (2) pieces (WM 20703),
CPAP/NIV disposable mask with air cushion,
Size M (adult), with retaining ring for headgear,
four (4) pieces (WM 20704),
CPAP/NIV disposable mask with air cushion,
Size L (large adult), with retaining ring for
headgear, four (4) pieces (WM 20705),
Headgear for CPAP-/NIV masks (WM 20702)
- WM 9130 LIFE-BASE III with protective case and bed-
rail holder with MEDUMAT Easy
Supply schedule: MEDUMAT Easy ventilation
device, complete (WM 28000), 2-liter oxygen
cylinder (WM 1822), OXYWAY Fix III (WM 30301),
T-shaped distributor with check valve (WM 8220),
pressure hose (WM 5791), LIFE-BASE III portable
system, pre-assembled (WM 8173), Protective
bag (WM 8295)
- WM 8090 LIFE-BASE III MCI with MEDUMAT Easy, MODUL
Oxygen and three-fold distributor
Supply Schedule:
MEDUMAT Easy (WM 28000),
MODUL Oxygen, complete (WM 22360),
Three-fold distributor, preset to 10 L/min
(WM 3834),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fix III (WM 30301),
Pressure hose system,
Adapter for modules (WM 22265)
Inhalation mask with connection hose
(WM 1429),
LIFE-BASE III portable system, pre-assembled
(WM 8227),
Protective bag (WM 8295)
- RESCUE-PACK with MEDUMAT Easy**
- WM 9075 RESCUE-PACK I with basic Respiration
equipment with MEDUMAT Easy
Supply Schedule:
RESCUE-PACK I , empty (WM 9060),
Ampouliarium (WM 8427),
MEDUMAT Easy (WM 28000),
ventilation device, complete
Pressure hose (WM 22320),
OXYWAY Fix III (WM 30301),
protective console for pressure reducer
(WM 9047),
2-liter oxygen cylinder (WM 1822),
Tension belt for O2 cylinder, 2 pcs. (WM 15141),
Ventilation mask for children and juveniles,
Size 3 (WM 5082),
Resuscitation mask with inflatable mask seal of
silicone for adults, Size 5 (WM 5074),

WM 9070 Rendell-Baker mask, Size 3 (WM 5063),
Set Oropharyngeal tubes (Guedel) (WM 15483),
Set Nasopharyngeal tubes (Wendl)
(WM 15484),
Accessories bag S, blue (WM 9022)

RESCUE-PACK with basic Respiration equipment
with MEDUMAT Easy
Supply Schedule:
RESCUE-PACK, empty (WM 9000),
Ampoule tray (WM 9015),
Padded cover for ampoule tray (WM 9004)
MEDUMAT Easy ventilation device, complete
(WM 28000),
Pressure hose (WM 22320),
OXYWAY Fix III (WM 30301),
2-liter oxygen cylinder (WM 1822),
Tension belt for O2 cylinder, 2 pcs. (WM 15141),
COMBIBAG bag-valve mask resuscitator for
adults and children (WM 11000),
Ventilation mask for children and juveniles,
Size 3 (WM 5082),
Rendell-Baker mask, Size 3 (WM 5063),
Set Oropharyngeal tubes (Guedel) (WM 15483),
Set Nasopharyngeal tubes (Wendl)
(WM 15484),
MANUVAC suction pump (WM 10800),
Set suction catheters (WM 15051),
Tension belt for MANUVAC (WM 1769)

WM 28100 **Device Variations - France**
MEDUMAT Easy Ventilation Device, complete
with voice prompts for user guidance
(DE, EN, FR, IT, ES, PT, BR, NL, NO, SV, DA,
FI, IS)
for controlled ventilation (IPPV) and oxygen
inhalation in demand flow mode with alarm
system with front panel in French with two patient
hose systems with patient valve (WM 22520),
ventilation mask with inflatable mask
seal of silicone for adults, Size 5 (WM 5074),
function test set (WM 15323), set of fastening
elements for mounting (WM 15007), pressure
hose, two-sided with seal fitting (bayonet type)
(WM 22371),
Pressure hose 1500 mm, double-ended
bayonet connection (AFNOR) (WM 22857),
angled adapter for French connection (WM 22910)

WM 28050 MEDUMAT Easy ventilation device, complete
with voice prompts, for controlled ventilation (IPPV)
and oxygen inhalation in demand-flow
mode with alarm system, with front panel in French,
with disposable ventilation hose system with
patient valve (WM 28110) 10 pcs.,

Patient valve, complete (WM 3280) 2 pcs.,
Ventilation mask with seal of inflatable silicone
for adults, Size 5 (WM 5074),
Test set for functional check (WM 15335),
Assembly set of mounting elements (WM 15007),
Angled adapter for French connection (WM 22910),
Pressure hose 1500 mm, double-ended
bayonet connection (AFNOR) (WM 22857)

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|---|
| WM 16843 | Brief operating instructions MEDUMAT Easy, DE |
| WM 16817 | User Manual MEDUMAT Easy, DE |
| WM 66033 | User manual patient hose system,disposable, for MEDUMAT Easy, Standard and Standard a, DE, EN, FR |
| WM 16844 | Brief operating instructions MEDUMAT Easy, EN, ES, PT |
| WM 16862 | User Manual MEDUMAT Easy, EN, ES, PT |
| WM 16845 | Brief operating instructions MEDUMAT Easy, FR, IT, NL |
| WM 16863 | User Manual MEDUMAT Easy, FR, IT, NL |
| WM 16865 | Brief operating instructions MEDUMAT Easy, DA, SV, NO |
| WM 16864 | User Manual MEDUMAT Easy, DA, SV, NO |
| WM 66083 | Brief operating instructions MEDUMAT Easy, IS, FI |
| WM 66078 | User Manual MEDUMAT Easy, IS, FI |
| WM 66082 | Brief operating instructions MEDUMAT Easy, ARE |
| WM 66077 | User Manual MEDUMAT Easy, ARE |
| WM 66081 | Brief operating instructions MEDUMAT Easy, ZH |
| WM 66076 | User Manual MEDUMAT Easy, ZH |
| WM 66084 | Brief operating instructions MEDUMAT Easy, TR, TH, ID |
| WM 66079 | User Manual MEDUMAT Easy, TR, TH, ID |
| WM 66080 | Brief operating instructions MEDUMAT Easy, RU, PL, CS |
| WM 66075 | User Manual MEDUMAT Easy, RU, PL, CS |
| WM 66087 | Brief operating instructions MEDUMAT Easy, FA |
| WM 66085 | User Manual MEDUMAT Easy,FA (Farsi) |
| WM 66088 | Brief operating instructions MEDUMAT Easy, JA |

WM 66086 User Manual MEDUMAT Easy, JA

Accessories and Replacement Parts for MEDUMAT Standard a, Standard, Easy CPR, Easy

WM 28625 EasyLung for WEINMANN

WM 3215 PEEP valve with connection cone,
infinitely adjustable 2.5-10 mbar
(22 mm external diameter)

WM 22520 Patient hose system with patient valve for
MEDUMAT Easy, Easy CPR, Standard and
Standard a

WM 22647 Ventilation hose with two nozzles for
MEDUMAT Easy, Easy CPR, Standard,
Standard a

WM 28110 Patient hose system with patient valve,
disposable, for MEDUMAT Easy, Easy CPR,
Standard and Standard a

WM 15454 Set disposable ventilation hose
10 x WM 28110

WM 15455 Set disposable ventilation hose
25 x WM 28110

WM 15456 Set disposable ventilation hose
50 x WM 28110

WM 3280 Patient valve for MEDUMAT Standard, Standard a,
Easy CPR, Easy, Basic, Basic-p,
consisting of:
patient hose connection (WM 3213), Control
element, upper part (WM 3181), Control
element, upper part with spontaneous breathing
option (WM 3285), Lip membrane (WM 3211)

WM 3213 Tube connection for patient valve

WM 3181 Control element, upper part

WM 3285 Control element, lower part with spontaneous
breathing option for MEDUMAT Easy, Easy CPR,
Basic-p, Standard, Standard a

WM 3211 Lip membrane

WM 15320 Set I Lip membrane (25 units of WM 3211)

WM 15330 Set II Lip membrane (50 units of WM 3211)

WM 3212 Membrane for exhalation tube patient valve

WM 3282 Insert for spontaneous breathing tube

WM 3284 Membrane for Spontaneous breathing tube

WM 8297 Reusable protective sleeve for ventilation hose
for MEDUMAT Standard/Standard a/Easy CPR/
Easy

WM 15780 Retrofitting set for device outlet filter for
MEDUMAT Standard and Standard a

WM 20900 MEDUtrigger for manual breath initiation for
MEDUMAT Easy CPR

| | |
|----------|--|
| WM 28144 | Protective cap MEDUMAT Easy CPR device socket for MEDUtrigger |
| WM 22162 | Bacteria filter for MEDUMAT Standard and Standard a |
| WM 22651 | Fuse insert F 0.5 L 250 V |
| WM 15186 | Set of batteries for MEDUMAT Standard, Standard a, Basic and Basic-p |
| WM 15382 | Test set for MEDUMAT Standard a |
| WM 15335 | Test set for MEDUMAT Standard |
| WM 15357 | Test set for MEDUMAT Easy CPR |
| WM 15323 | Test set for MEDUMAT Easy |
| WM 28045 | Battery for MEDUMAT Easy |
| WM 4954 | Cover cap, drilled |
| WM 7571 | Dust filter for all MEDUMAT Devices |

Ventilation monitoring

MODUL CapnoVol - Stand-alone Device

WM 22460 MODUL CapnoVol , complete, for ventilation monitoring, including 12-V connection cable for automotive power supply/MODUL CapnoVol (WM 22895)

Portable systems with MODUL CapnoVol and MEDUMAT Standard a

WM 9125 LIFE-BASE Mini II
with MEDUMAT Standard a and
MODUL CapnoVol
Supply Schedule:
MEDUMAT Standard a Ventilator, complete (WM 22800),
MODUL CapnoVol, complete (WM 22440)
but without 12 V power supply cable (WM 22895),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fast II (WM 30859),
Pressure hose with Adapter for cap (WM 22871),
Inhalation mask with connection hose (WM 1429),
Connection nozzle with swivel nut, angled (WM 31130),
Accessories bag (WM 8142),
LIFE-BASE Mini II portable system with charger interface, pre-assembled (WM 8078)
NOTE: Operation of MODUL CapnoVol also requires a means to charge the device.

WM 9115 LIFE-BASE III with protective bag and bedrail holder with with MEDUMAT Standard a and MODUL CapnoVol
Supply Schedule:
MEDUMAT Standard a Ventilator, complete (WM 22800),
MODUL CapnoVol, complete (WM 22400)
but without 12 V power supply cable (WM 22895),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fast II (WM 30851),
Adapter for cap G 3/8 (WM 1485),
Pressure hose (WM 22871),
Inhalation mask with connection hose (WM 1429),
Connection nozzle with swivel nut, angled (WM 31130),
LIFE-BASE III portable system with charger interface, pre-assembled (WM 8079),
Protective bag (WM 8295)
NOTE: Operation of MODUL CapnoVol also requires a means to charge the device.

WM 9105 LIFE-BASE II with MEDUMAT Standard a and

MODUL CapnoVol
Supply Schedule:
MEDUMAT Standard a Ventilator, complete (WM 22800),
MODUL CapnoVol, complete (WM 22400)
but without 12 V power supply cable (WM 22895),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fast II (WM 30851),
T-shaped distributor with cap (WM 22395),
Pressure hose (WM 22873),
Inhalation mask with connection hose (WM 1429),
Connection nozzle with swivel nut, angled (WM 31130),
Accessories bag (WM 8141),
LIFE-BASE II portable system with charger interface, pre-assembled (WM 8077)
NOTE: Operation of MODUL CapnoVol also requires a means to charge the device.

Portable Systems with MODUL CapnoVol and MEDUMAT Standard

WM 9120

LIFE-BASE Mini II
with MEDUMAT Standard and MODUL CapnoVol
Supply Schedule:
MEDUMAT Standard Ventilator, complete (WM 22500),
MODUL CapnoVol, complete (WM 22440)
but without 12 V power supply cable (WM 22895),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fast II (WM 30859),
Pressure hose with adapter for cap (WM 22871),
Inhalation mask with connection hose (WM 1429),
Connection nozzle with swivel nut, angled (WM 31130),
Accessories bag (WM 8142), LIFE-BASE Mini II portable system with charger interface, pre-assembled (WM 8078)
NOTE: Operation of MODUL CapnoVol also requires a means to charge the device.

WM 9110

LIFE-BASE III with protective bag and bedrail holder with MEDUMAT Standard and MODUL CapnoVol
Supply Schedule:
MEDUMAT Standard Ventilator, complete (WM 22500),
MODUL CapnoVol, complete (WM 22400)
but without 12 V power supply cable (WM 22895),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fast II (WM 30851),
Adapter for cap G 3/8 (WM 1485),
Pressure hose (WM 22872),
Inhalation mask with connection hose (WM 1429),

- WM 9100
- Connection nozzle with swivel nut, angled (WM 31130),
LIFE-BASE III portable system with charger interface, pre-assembled (WM 8079),
Protective bag (WM 8295)
NOTE: Operation of MODUL CapnoVol also requires a means to charge the device.
- LIFE-BASE II with MEDUMAT Standard and MODUL CapnoVol
Supply Schedule:
MEDUMAT Standard Ventilator, complete (WM 22500),
MODUL CapnoVol, complete (WM 22400) but without 12 V power supply cable (WM 22895),
2-liter oxygen cylinder (WM 1822),
OXYWAY Fast II (WM 30851),
T-shaped distributor with cap (WM 22395),
Pressure hose (WM 22873),
Inhalation mask with connection hose (WM 1429),
Connection nozzle with swivel nut, angled (WM 31130),
Accessories bag (WM 8141),
LIFE-BASE II portable system with charger interface, pre-assembled (WM 8077)
NOTE: Operation of MODUL CapnoVol also requires a means to charge the device.

Retrofit Set for MODUL CapnoVol

Retrofit of customer's existing portable systems with MODUL CapnoVol: The retrofitting can be done only at our Production, Logistics and Service Center (Weinmann, Geräte für Medizin GmbH + Co. KG, Siebenstücken 14, D-24558 Henstedt-Ulzburg, Germany)

- WM 9111
- Retrofitting set for MODUL CapnoVol for LIFE-BASE Micro, including MODUL CapnoVol and wall mounting, labor and all necessary new parts for the retrofitting of the portable system
- WM 9112
- Retrofitting set for MODUL CapnoVol for LIFE-BASE Mini II, including MODUL CapnoVol and wall mounting, labor and all necessary new parts for the retrofitting of the portable system
- WM 9113
- Retrofitting set for MODUL CapnoVol for LIFE-BASE II, including MODUL CapnoVol and wall mounting, labor and all necessary new parts for the retrofitting of the portable system
- WM 9114
- Retrofitting set for MODUL CapnoVol for LIFE-BASE III, including MODUL CapnoVol and wall mounting, labor and all necessary new parts for the retrofitting of the portable system

Accessories and Replacement Parts for MODUL CapnoVol

| | |
|------------|---|
| WM 22395 | T-shaped distributor with cap for LIFE-BASE II with MODUL CapnoVol |
| WM 9107 | 12 V connection cable (without wall mounting) for MEDUMAT Transport, MODUL CapnoVol, mounted on a LIFE-BASE |
| WM 22895 | 12 V power supply cable for MODUL CapnoVol as stand-alone device |
| WM 2610 | Power pack and battery charger for 100-240 Volt AC to 12 Volt DC, including power cable "European plug" (complies with EN 50075) and user manual (for ACCUVAC, MODUL CapnoVol, MEDUMAT Elektronik) For use with ACCUVAC Basic WM 10700 or WM 10709 please also order connection cable WM 10650 |
| WM 15680 | Set of 5 2m disposable CO2 measurement hose |
| WM 15681 | Set of IR adapters with software and holder for MODUL CapnoVol |
| WM 22480 | PC-Software for MODUL CapnoVol -SERVICE |
| WM 8297 | Reusable protective sleeve for ventilation hose for MEDUMAT Standard/Standard a/Easy CPR/ Easy |
| WM 97010 | Set of water filters, Ø 25-mm, packaging unit: 5 pieces |
| WM 97011 | Set of water filters, Ø 13-mm, packaging unit: 5 pieces |
| WM 22430 | BiCheck flow sensor for MODUL CapnoVol and MEDUMAT Transport |
| WM 15685 | Set of BiCheck flow sensors, 5 pieces, for MEDUMAT Transport and MODUL CapnoVol |
| WM 22420 | Sensor cable BiCheck flow sensor / MODUL CapnoVol |
| WM 97061 | KAL CHECK-Gas (5% CO ₂ , 95% O ₂) in Minican |
| WM 97062 | Pressure reducer for KAL CHECK gas (WM 97061), with flow meter, Y-shaped piece, hose |
| WM 22388 | Clip 15 mm |
| WM 15459 | Set angled adapter mit Lüer-Lock (10 x WM 22877) |
| WM 22875 | Holder for IR adapter, complete |
| WM 1145/75 | O-Ring 50-2 |
| WM 30891 | OXYWAY Fast II, G 3/4 Oxygen pressure reducer - High-pressure manual connection G 3/4 - 30 mm connection bolt, right-hand side - Dosage dial and pressure gauge - G 3/8 pressure outlet G 3/8, pre-set (90 L/min), |

turned 90°
- Flow outlet, dosages can be set to 1, 2, 3, 4, 5,
6, 9, 12, 15 L/min, UNF 9/16
(suitable for LIFE-BASE Mini II. Not to be used
with MEDUMAT Variable, Control, Compact,
Electronic and Transport)
(Please order connection nozzle separately)

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|------------------------------------|
| WM 16828 | User Manual MODUL CapnoVol , DE |
| WM 16850 | User Manual MODUL CapnoVol , EN |
| WM 16851 | User Manual MODUL CapnoVol , FR |
| WM 16853 | User Manual MODUL CapnoVol , IT |
| WM 16854 | User Manual MODUL CapnoVol , ES |
| WM 16856 | User Manual MODUL CapnoVol , PT |
| WM 16852 | User Manual MODUL CapnoVol , NL |
| WM 16855 | User Manual MODUL CapnoVol , SV |
| WM 66820 | User Manual for MODUL CapnoVol, TR |

MODUL System

Please note that the prices for modular systems containing oxygen bottles or pressure reducers may vary if delivered with other connection threads.

MODUL CPAP - Stand-alone Devices

- WM 29100
 MODUL CPAP for CPAP therapy 0-15 mbar, with O₂ quick-release coupler (type Walther), with large starter set for CPAP therapy, consists of:
 Set, CPAP-Boussignac for MODUL CPAP, disposable, ten (10) pieces (WM 15638), CPAP-/NIV disposable mask with air cushion, Size S (child) with retaining ring for headgear, two (2) pieces (WM 20703), CPAP/NIV disposable mask with air cushion, Size M (adult), with retaining ring for headgear, four (4) pieces (WM 20704), CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear, four (4) pieces (WM 20705), Headgear for CPAP-/NIV masks (WM 20702)
- WM 29125
 MODUL CPAP for CPAP therapy 0-15 mbar, with O₂ quick-release coupler (type Walther), with small starter set for CPAP therapy, consists of:
 CPAP-Boussignac for MODUL CPAP, disposable (WM 29119), CPAP/NIV disposable mask with air cushion, Size M (adult), with retaining ring for headgear (WM 20704), Headgear for CPAP-/NIV masks (WM 20702)
- WM 29130
 MODUL CPAP for CPAP therapy 0-15 mbar, with O₂ quick-release coupler (type AGA), with large starter set for CPAP therapy, consists of:
 Set, CPAP-Boussignac for MODUL CPAP, disposable, ten (10) pieces (WM 15638), CPAP-/NIV disposable mask with air cushion, Size S (child) with retaining ring for headgear, two (2) pieces (WM 20703), CPAP/NIV disposable mask with air cushion, Size M (adult), with retaining ring for headgear, four (4) pieces (WM 20704), CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear, four (4) pieces (WM 20705), Headgear for CPAP-/NIV masks (WM 20702)
- WM 29145
 MODUL CPAP for CPAP therapy 0-15 mbar, with O₂ quick-release coupler (type AGA),

- with small starter set for CPAP therapy,
consists of:
CPAP-Boussignac for MODUL CPAP, disposable
(WM 29119),
CPAP/NIV disposable mask with air cushion,
Size M (adult), with retaining ring for headgear
(WM 20704),
Headgear for CPAP-/NIV masks (WM 20702)
- WM 28240 LIFE-BASE light with accessory bag and MODUL
CPAP
Supply Schedule:
MODUL CPAP for CPAP therapy 0-15 mbar
(WM 29125), with O2 quick-release coupler (type
Walther), with small starter set for CPAP therapy,
consists of:
CPAP-Boussignac for MODUL CPAP, disposable
(WM 29119), CPAP/NIV disposable mask with
air cushion, Size M (adult), with retaining ring for
headgear (WM 20704),
Headgear for CPAP-/NIV masks (WM 20702),
Pressure hose, 3m, for central gas system outlet
(WM 22312),
Portable system LIFE-BASE light (WM 28370),
Accessory bag (WM 8022)

MODUL Oxygen - Stand-alone Device

- WM 22200 MODUL Oxygen
for oxygen inhalation 0-15 l/min, with
quick-release coupler (Type Walther) and
connection socket for inhalation hose
- WM 22360 MODUL Oxygen
for oxygen inhalation 0-15 liters/minute, with
O2 quick-release coupler (Type Walther) and
angled connection socket for inhalation hose
- WM 22299 MODUL Oxygen
for oxygen inhalation 0-15 l/min, with O2
quick-release coupler (Type DIN) and
connection socket for inhalation hose
- WM 22240 MODUL Oxygen
for oxygen inhalation 0-15 l/min, with O2
quick-release coupler (Type AGA) and
connection socket for inhalation hose
- WM 22330 MODUL Oxygen
for oxygen inhalation 0-15 l/min, with
quick-release coupler (Type Bajonett) and
connection socket for inhalation hose

Portable System with MODUL Oxygen

- WM 8226 LIFE-BASE III MCI with MODUL Oxygen and
three-fold distributor
Supply Schedule:

- LIFE-BASE III,
 MODUL Oxygen, complete (WM 22360),
 Three-fold distributor, preset to 10 L/min (WM 3834),
 2-liter oxygen cylinder (WM 1822),
 OXYWAY Fix III (WM 30301),
 Pressure hose (WM 5737),
 Pressure hose (WM 22320),
 Adapter for modules (WM 22265),
 Inhalation mask with connection hose (WM 1429),
 LIFE-BASE III portable system, pre-assembled
 (WM 8041),
 Protective bag (WM 8295)
- WM 8194 LIFE-BASE III with MODUL Oxygen with
 quick-release coupling (type AGA), with
 bedrail holding device, cylinder brackets
 for a 2,5l oxygen cylinder and english
 instructions
(other flows for the distributor available upon request)

MODUL Combi - Stand-alone Device

- WM 22210 MODUL Combi
 for oxygen inhalation 0 - 15 L/min,
 aspiration preset to -0,5 bar, with quick-release
 coupler (Type Walther) and connection socket
 for inhalation hose and test gauge
- WM 22370 MODUL Combi
 for oxygen inhalation 0-15 liters/minute,
 with aspiration preset to -0,5 bar,
 O2 quick-release coupler (Type Walther) and
 angled connection socket for inhalation hose
- WM 22250 MODUL Combi
 for oxygen inhalation 0 - 15 L/min,
 aspiration preset to -0,5 bar, with quick-release
 coupler (Type AGA) and connection socket
 for inhalation hose and test gauge
- WM 22340 MODUL Combi
 for oxygen inhalation 0 - 15 L/min,
 aspiration preset to -0,5 bar, with quick-release
 coupler (Type Bayonett) and connection socket
 for inhalation hose and test gauge
- WM 8125 LIFE-BASE Mini II with MODUL Combi
 Supply Schedule:
 MODUL Combi (WM 22210),
 2-liter oxygen cylinder (WM 1822),
 OXYWAY Fix III (WM 30301),
 Pressure hose (WM 22315),
 OMNIVAC aspiration equipment with 250-ml
 collection canister, swivelling (WM 2262),
 Inhalation mask with
 connection hose (WM 1429),
 Accessories bag (WM 8142),

| | |
|---------|---|
| | LIFE-BASE Mini II portable system, pre-assembled (WM 8123) |
| WM 8230 | LIFE-BASE III with protective bag and bedrail holder with MODUL Combi Supply Schedule: MODUL Combi (WM 22370), 2-liter oxygen cylinder (WM 1822), OXYWAY Fix III (WM 30301), Pressure hose (WM 22367), OMNIVAC aspiration equipment with 250-ml collection canister (WM 2280), Secretion container holder, swivelling (WM 2262), Inhalation mask with connection hose (WM 1429), LIFE-BASE III portable system, pre-assembled (WM 8173), Protective bag (WM 8295) |

Accessories and Replacment Parts for MODUL System

| | |
|----------|---|
| WM 29119 | CPAP-Boussignac for MODUL CPAP, disposable |
| WM 15638 | Set, CPAP-Boussignac for MODUL CPAP, disposable, ten (10) pieces |
| WM 15643 | Set, CPAP-Boussignac for MODUL CPAP, disposable, twenty (20) pieces |
| WM 15644 | Set, CPAP-Boussignac for MODUL CPAP, disposable, fifty (50) pieces |
| WM 29122 | Regulator FiO2 for CPAP Boussignac for MODUL CPAP, disposable, 1 piece |
| WM 15826 | Set, regulator FiO2 for CPAP Boussignac for MODUL CPAP, disposable, 5 pieces |
| WM 15827 | Nebulizer set for medicine for CPAP Boussignac for MODUL CPAP, disposable |

The article contains the following
substances included on the candidate
list according to article 59 (1, 10) of Regulation
(EC) No 1907/2006 (REACH) in a
concentration above 0.1 % weight by weight:
DEHP (CAS No. 117-81-7, EC No. 204-211-0)
The packaging materials contain no
substances included on the candidate list in a
concentration above 0.1 % weight by weight.

| | |
|----------|---|
| WM 15828 | Adapter for demonstration CPAP Boussignac for MODUL CPAP (Connector 22 o.d./ 22 i.d) |
| WM 20703 | CPAP-/NIV disposable mask with air cushion, Size S (child) with retaining ring for headgear |
| WM 20704 | CPAP/NIV disposable mask with air cushion, Size M (adult), with retaining ring for headgear |
| WM 20705 | CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear |

| | |
|------------|---|
| WM 15807 | Set CPAP/NIV disposable mask with air cushion, consisting of: One (1) mask in each size S, M and L and One (1) headgear |
| WM 15831 | Set of 25 CPAP/NIV disposable mask with air cushion, Size S (child), with retaining ring for headgear |
| WM 15832 | Set of 25 CPAP/NIV disposable mask with air cushion, Size M (adult), m with retaining ring for headgear |
| WM 15833 | Set of 25 CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear |
| WM 15834 | Set of 50 CPAP/NIV disposable mask with air cushion, Size S (child), with retaining ring for headgear |
| WM 15835 | Set of 50 CPAP/NIV disposable mask with air cushion, Size M (adult), m with retaining ring for headgear |
| WM 15836 | Set of 50 CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear |
| WM 20713 | CPAP/NIV reusable silicone mask, Size S (child) Please order headgear and retaining ring separately |
| WM 20714 | CPAP/NIV reusable silicone mask, Size M (adult) Please order headgear and retaining ring separately |
| WM 20715 | CPAP/NIV reusable silicone mask, Size L (large adult) Please order headgear and retaining ring separately |
| WM 15808 | Set CPAP/NIV reusable silicone mask, consisting of: One (1) reusable mask in each size S, M and L One (1) headgear (WM 20702) One (1) retaining ring for headgear (WM 20701) |
| WM 20702 | Headgear for CPAP-/NIV masks |
| WM 20701 | Retaining ring for headgear only for CPAP/NIV reusable mask |
| WM 29140 | Angled connection nozzle with swivel nut, angled 90°, Ø 6 mm, UNF 9/16 |
| WM 15665 | Test set for MODUL CPAP |
| WM 1145/31 | Sealing washer, 7 x 14 x 2, for 3/8 threaded connection |
| WM 1145/68 | Seal for plug connection |
| WM 1145/84 | Sealing ring for plug connection |
| WM 22229 | Blanking plug |
| WM 1470 | Straight connection nozzle with swivel nut, Ø 5.2 mm, G 3/8 |

| | |
|----------|--|
| WM 1475 | Angled connection nozzle with wing nut, Ø 5.2 mm, G 3/8 |
| WM 22319 | Angled connection nozzle with swivel nut, angled 90°, Ø 5.2 mm, G 3/8 |
| WM 15288 | Set of mounting elements |
| WM 22204 | Cover for plug connection |
| WM 22265 | Adapter, M12x1, on external screw, G3/8, for modules |

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|-----------------------------|
| WM 16200 | User Manual for modules, DE |
| WM 16201 | User Manual for modules, EN |
| WM 16202 | User Manual for modules, FR |
| WM 16256 | User Manual for modules, IT |
| WM 16127 | User Manual for modules, ES |
| WM 66245 | User Manual for modules, PT |
| WM 66246 | User Manual for modules, RU |
| WM 16203 | User Manual for modules, NL |
| WM 66248 | User Manual for modules, EL |
| WM 66249 | User Manual for Moduls, TR |
| WM 16210 | User Manual for modules, NO |
| WM 66247 | User Manual for modules, ZH |

LIFE-BASE Portable Systems

Please note that the prices for modular systems containing oxygen bottles or pressure reducers may vary if delivered with other connection threads.

LIFE-BASE Portable Systems - without devices -

| | |
|----------|---|
| WM 9631 | LIFE-BASE 4 NG portable system, pre-assembled with charger interface, without protective or accessories bag |
| WM 9632 | LIFE-BASE 4 NG portable system, pre-assembled WITHOUT charger interface, without protective or accessories bag |
| WM 9661 | LIFE-BASE 1 NG portable system, pre-assembled, WITH charger interface |
| WM 9662 | LIFE-BASE 1 NG portable system, pre-assembled, WITHOUT charger interface |
| WM 28370 | Portable system LIFE-BASE light, pre-assembled, without protective bag and accessory bag |
| WM 8103 | LIFE-BASE II portable system for WM 8100, 8105, 8110, 8115, 8205, 8210, preassembled, without accessories bag |
| WM 8123 | LIFE-BASE Mini II portable system, pre-assembled, for WM 8120, WM 8125, WM 8200, without accessory bag |
| WM 8173 | LIFE-BASE III portable system, pre-assembled for WM 8240, 8230, 8215, without protective bag |
| WM 9153 | LIFE-BASE III portable system with STATION MEDUMAT, pre-assembled |
| WM 8191 | LIFE-BASE III portable system, pre-assembled, with cylinder brackets for 2,5-liter- oxygen cylinder, with BuddyLok locking system |
| WM 8257 | <p>LIFE-BASE III MCI with four-way administrator with dosage setting stops</p> <p>Supply Schedule:</p> <p>Oxygen administrator (WM 3899) with dosage setting stops including:</p> <p>Four (4) UNF 9/16 male thread, 0-15 l/min, dosage setting</p> <p>stops, incl. four (4) angled connection nozzle UNF 9/16 (WM 31130)</p> <p>Inlet / outlet:</p> <p>One (1) G 3/8 male thread,</p> <p>One (1) T-shaped distributor without check valve type Walther (WM 8187)</p> <p>One (1) quick release coupler in accordance with DIN 13260 (WM 30026)</p> <p>One (1) 2 l oxygen cylinder (WM 1822),</p> |

| | |
|---------|---|
| WM 8248 | <p>One (1) OXYWAY Fix III (WM 30301), Four (4) Inhalation mask with connection hose (WM 1429) One (1) Pressure hose, 3 m, sealing nipple (type Walther) and O2 DIN plug for central gas facility outlet LIFE-BASE III portable system, pre-assembled (WM 8041), Protective bag (WM 8295)</p> <p>LIFE-BASE III MCI with bedrail holder and four-way administrator, type France Supply Schedule: OXYWAY Click multiple oxygen administrator with four (4) dosage setting stops for outlets (WM 3883) Outlet: Four (4) UNF 9/16 male thread, 0-15 l/min, dosage setting stops, incl. four (4) angled connection nozzle UNF 9/16 (WM 31130) Inlet / outlet: One (1) G 3/8 male thread, top Two (2) adapter on coupling, type bayonet (AFNOR) (WM 22905)</p> <p>One (1) Pressure hose 1500 mm, dual bayonet connection (AFNOR) (WM22857) Four (4) inhalation masks (WM 1429)</p> <p>LIFE-BASE III portable system, pre-assembled (WM 8249), Protective bag (WM 8295)</p> |
|---------|---|

Accessories and Replacement Parts for Portable Systems

| | |
|---------|---|
| WM 9604 | Protective bag for LIFE-BASE 4 NG |
| WM 9665 | Protective bag for LIFE-BASE 4 NG, PVC-coated |
| WM 9608 | Accessories bag for LIFE-BASE 4 NG and SOMNObutler 2(one piece) |
| WM 9669 | Accessories bag for LIFE-BASE 4 NG and SOMNObutler 2(one piece), PVC-coated |
| WM 9614 | Protective bag for LIFE-BASE 1 NG including two tension belts for fastening of the patient hose system (WM9668) |
| WM 9615 | Protective bag for LIFE-BASE 1 NG, PVC-coated |
| WM 9610 | Accessories bag for LIFE-BASE 1 NG |
| WM 9670 | Accessories bag for LIFE-BASE 1 NG, PVC-coated |
| WM 8022 | Accessory bag for LIFE-BASE light, PVC-coated, only for use with MODUL or MEDUMAT Easy/ MEDUMAT Easy CPR |
| WM 8023 | Protective bag for LIFE-BASE light, PVC-coated, not for use with MEDUMAT Transport |

| | |
|----------|---|
| WM 8141 | Accessories bag for LIFE-BASE II |
| WM 8142 | Accessories bag for LIFE-BASE mini II and BASE STATION fix |
| WM 8186 | Accessories bag for LIFE-BASE Mini II and BASE STATION fix, PVC-coated |
| WM 8295 | Protective bag for Life Base III |
| WM 8293 | Protective bag for Life Base III, PVC-coated |
| WM 15394 | Protective bag with shoulder strap for LIFE-BASE III, set |
| WM 8292 | Protective bag for Life Base III, camouflage colors |
| WM 15395 | Shoulder strap for protective bag for LIFE-BASE III with locking clip, date of manufacture 01/2004 or later, set |
| WM 8298 | Shoulder strap with fastening loop for LIFE-BASE 4 NG, LIFE-BASE 1 NG, LIFE-BASE II, LIFE-BASE III, LIFE-BASE mini II, SOMNObutler 2 (without protective bag) |
| WM 8021 | Shoulder strap, 25mm, with fastening loop for LIFE-BASE light |
| WM 9668 | Tension belt for LIFE-BASE 1 NG for fastening of the patient hose system (please order 2 pieces) |
| WM 9616 | Velcro with button for patient hose system |
| WM 9102 | Charger interface for LIFE-BASE Mini II |
| WM 9103 | Charger interface for LIFE-BASE II |
| WM 9104 | Charger interface for LIFE-BASE III |
| WM 9106 | Charger outlet for wall mounting BASE STATION Micro, Mini II, II and III |
| WM 15211 | Set of portable system locks for LIFE-BASE Micro, Mini II, II and III, SOMNObutler 2 |
| WM 15212 | Set of bag locks for capnometer bag (component for portable system) |
| WM 15563 | Set of locks for capnometer bag (component for bag) |
| WM 15213 | Set of cylinder brackets, complete, for LIFE-BASE II + III and LIFE-BASE Mini II |
| WM 15214 | Set of cylinder bracket levers for LIFE BASE II + III and Mini II |
| WM 15730 | Vibration damper for mounting MEDUMAT Transport |
| WM 15175 | Replacement set for case handle |
| WM 15231 | Set of device bases, 4 pieces for LIFE-BASE II and Mini II |
| WM 15358 | Set of rubber bases, 4 pieces for LIFE BASE II, LIFE BASE Mini II, LIFE-BASE III, LIFE-BASE Micro and SOMNObutler 2 |
| WM 15784 | Set, corner protectors for LIFE BASE 4 NG and |

| | |
|----------|--|
| | SOMNObutler 2 |
| WM 15232 | Set of edge protectors for LIFE-BASE II |
| WM 15233 | Set of edge protectors for LIFE-BASE Mini II |
| WM 15393 | Set of edge protectors for LIFE-BASE III |
| WM 15209 | Set of patient valve holders |
| WM 15322 | Set of pushbuttons for portable systems, four (4) pieces |
| WM 15667 | Set of replacement hose holder for LIFE-BASE Micro |
| WM 22869 | Pressure hose system with two (2) angled connection nozzles |

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|--|
| WM 16622 | User Manual for LIFE-BASE portable systems, DE |
| WM 66600 | User manual LIFE-BASE 4 NG, DE |
| WM 67060 | User Manual for LIFE-BASE 1 NG, DE |
| WM 67050 | User Manual LIFE-BASE light |
| WM 67051 | User manual LIFE-BASE Light es, nl and it |
| WM 16635 | User Manual for LIFE-BASE portable systems, LIFE-BASE Mini II, LIFE-BASE III, LIFE-BASE II, EN |
| WM 16636 | User Manual for LIFE-BASE portable systems, LIFE-BASE Mini II, LIFE-BASE III, LIFE-BASE II, FR |
| WM 16637 | User Manual for LIFE-BASE portable systems, LIFE-BASE Mini II, LIFE-BASE III, LIFE-BASE II, IT |
| WM 16225 | User Manual for LIFE-BASE portable systems, LIFE-BASE Mini II, LIFE-BASE III, LIFE-BASE II, ES |
| WM 16625 | User Manual for LIFE-BASE portable systems, LIFE-BASE Mini II, LIFE-BASE III, LIFE-BASE II, NL |
| WM 66711 | User Manual for LIFE-BASE portable systems, TR |
| WM 66601 | User manual LIFE-BASE 4 NG,EN, ES, PT |
| WM 66602 | User manual LIFE-BASE 4 NG, FR, NL, IT |
| WM 66603 | User manual LIFE-BASE 4 NG, PL, RU |
| WM 66604 | User Manual for LIFE-BASE 4 NG, TR, EL |
| WM 66605 | User manual LIFE-BASE 4 NG, TH |
| WM 66606 | User Manual for LIFE-BASE 4 NG, SV |
| WM 67061 | User Manual for LIFE-BASE 1 NG, EN, ES |
| WM 67062 | User Manual for LIFE-BASE 1 NG, FR |

| | |
|----------|--|
| WM 16206 | Repair instructions for cylinder bracket for replacement part set WM 15213, (DE, GB, FR) |
| WM 16207 | Repair instructions for cylinder bracket for replacement part set WM 15214, (DE, GB, FR) |
| WM 16205 | Repair instructions for connection system for capnometer bag (DE, GB, FR) |
| WM 16204 | Repair instructions for portable system locking system (DE, GB, FR) |
| WM 16166 | Assembly instructions for portable system locking system |

Wall mountings for LIFE-BASE Portable Systems

| | |
|---------|--|
| WM 8150 | BASE STATION II wall-mounted holder for a LIFE-BASE II |
| WM 8154 | Wall mount BASE STATION II with charger interface for the inclusion of a LIFE-BASE II with MODUL CapnoVol |
| WM 8160 | BASE STATION mini II wall-mounted holder for LIFE-BASE mini II |
| WM 8164 | Wall mount BASE STATION mini II with charger interface for the inclusion of a LIFE-BASE mini II |
| WM 8214 | Wall mount BASE STATION mini II with charger interface for the inclusion of a LIFE-BASE mini II (without charge) and LIFE-BASE 1 NG |
| WM 8263 | BASE STATION mini II wall mounting for the inclusion of a LIFE-BASE mini II and fasten onto device rails |
| WM 8264 | BASE STATION mini II wall mounting with charger interface for the inclusion of a LIFE-BASE mini II and fasten onto device rails |
| WM 8190 | BASE STATION 3 NG wall-mounted holder for LIFE-BASE III and LIFE-BASE 4 NG |
| WM 8195 | Wall mount BASE STATION 3 NG with charger interface for the inclusion of a LIFE-BASE III and LIFE-BASE 4 NG |
| WM 8237 | Wall mount BASE STATION III NG with charger interface for the connection of the power supply unit and charger WM 28305 and for the inclusion of a LIFE-BASE 4 NG or LIFE-BASE III NG |
| WM 8261 | BASE STATION 3 NG wall mounting for the inclusion of a LIFE-BASE III and LIFE-BASE 4 NG and fasten onto device rails |
| WM 8262 | BASE STATION 3 NG wall mounting with charger interface for the inclusion of a LIFE-BASE III and LIFE-BASE 4 NG and fasten onto device rails |
| WM 9645 | Wall mount BASE STATION 1 NG without charger interface for the inclusion of a LIFE-BASE 1 NG |

| | |
|----------|---|
| WM 9640 | Wall mount BASE STATION 1 NG with charger interface for the inclusion of a LIFE-BASE 1 NG |
| WM 9655 | Wall mount BASE STATION 1 NG with charger interface for the connection of the power supply unit and charger WM 28305 and for the inclusion of a LIFE-BASE 1 NG |
| WM 9646 | Wall mount BASE STATION fix for the inclusion of a MEDUMAT Transport and permanent installation inside buildings |
| WM 9667 | Wall mount BASE STATION fix with accessory bag (WM 8142) for the inclusion of a MEDUMAT Transport and permanent installation inside buildings |
| WM 15844 | <p>Wall mounting for power pack and battery charger for ACCUVAC and MODUL CapnoVol for direct wall mounting (appropriate screws for ACCUVAC and MODUL CapnoVol for wall mounting to be supplied by customer)</p> <p>For suspension on standard hospital rail please order additionally: Holding plate for standard hospital rail (WM 15845) For fixation on standard hospital rail please order additionally: Holding plate for standard hospital rail (WM 15845) and attachment set with one adapter for standard hospital rail (WM 15795) For fixation on pole Ø 19 mm - 40 mm please order additionally: Attachment set for rail bracket (WM 15806)</p> |
| WM 15846 | <p>Wall mounting for power supply unit and charger for MEDUMAT Transport for direct wall mounting (appropriate screws for wall mounting to be supplied by customer)</p> <p>Can be combined optionally with holder for rechargeable battery pack (WM 15847)</p> <p>For suspension on standard hospital rail please order additionally: Holding plate for standard hospital rail (WM 15845) For fixation on standard hospital rail please order additionally: Holding plate for standard hospital rail (WM 15845) and attachment set with one adapter for standard hospital rail (WM 15795) For fixation on pole Ø 19 mm - 40 mm please order additionally: Attachment set for rail bracket (WM 15806)</p> |
| WM 15847 | <p>Wall mounting for rechargeable battery pack for MEDUMAT Transport for direct wall mounting (appropriate screws for wall mounting to be supplied by customer)</p> <p>Can be combined optionally with holder for power supply unit and charger for MEDUMAT Transport</p> |

| | |
|----------|---|
| | (WM 15846) For suspension on standard hospital rail please order additionally: Holding plate for standard hospital rail (WM 15845) For fixation on standard hospital rail please order additionally: Holding plate for standard hospital rail (WM 15845) and attachment set with one adapter for standard hospital rail (WM 15795) For fixation on pole Ø 19 mm - 40 mm please order additionally: Attachment set for rail bracket (WM 15806) |
| WM 9660 | Ceiling mount for LIFE-BASE 1 NG with charger interface |
| WM 9680 | Ceiling mount for LIFE-BASE 1 NG without charger interface |
| WM 15845 | Holding plate for standard hospital rail, can be combined with: - Wall mounting for ACCUVAC (WM 15208), - Holder for power pack and battery charger for ACCUVAC and MODUL CapnoVol (WM 15844), - Holder for power supply unit and charger for MEDUMAT Transport (WM 15846) and holder for rechargeable battery pack (WM 15847) |
| WM 15795 | Attachment set for standard hospital rail with one adapter |
| WM 15805 | Attachment set for standard hospital rail with two adapters |
| WM 15806 | Attachment set for pole mount Ø 19 mm - 40 mm |

Alternative Ways to Fasten Equipment

| | |
|----------|--|
| WM 22550 | STATION MEDUMAT for fixation on walls |
| WM 22670 | STATION MEDUMAT for fixation on hospital room rail (DIN) |
| WM 22950 | STATION MEDUMAT for mounting on gurney including restraining angle, handle and strap |
| WM 15196 | Set for installation of MEDUMAT |
| WM 15197 | Set for installation of MODUL or MEDUMAT Easy/ Easy CPR |
| WM 15198 | Set for installation of a MEDUMAT and a MODUL |
| WM 15199 | Expansion set for installation of additional MODUL for sets WM 15197 and WM 15198 |

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|---|
| WM 16213 | Assembly instructions for wall mounting |
|----------|---|

| | |
|----------|---|
| | BASE STATION II, (DE, GB, FR) |
| WM 67070 | Assembly instructions for wall mounting BASE STATION 1 NG, DE, EN, FR |
| WM 67075 | Assembly instructions roof mounting for BASE STATION 1 NG, DE, EN, FR |
| WM 67080 | Assembly instructions attachment set for standard hospital rail, DE, EN, FR |
| WM 67090 | Assembly instructions attachment set for rail bracket, DE, EN, FR |
| WM 67330 | Assembly instructions for wall mountings: for power pack and battery charger for ACCUVAC and MODUL CapnoVol, for power supply unit and charger for MEDUMAT Transport and for rechargeable battery pack for MEDUMAT |
| WM 67320 | Assembly instructions for holding plate for standard hospital rail |
| WM 16214 | Assembly instructions for wall mounting BASE STATION Mini II, (DE, GB, FR) |
| WM 16623 | Assembly instructions for wall mounting BASE STATION III NG, (DE, GB, FR) |
| WM 16216 | Drilling template for MEDUMAT Station, (DE, GB, FR) |
| WM 16778 | User Manual STATION MEDUMAT, DE |

O2 Box Rescue

Please note that the prices for modular systems containing oxygen bottles or pressure reducers may vary if delivered with other connection threads.

WM 9500

O2 Box Rescue,
Portable, multi-use oxygen system
Box type Zarges, dimensions: 620 x 430 x
250 mm:
Two (2) oxygen cylinders, 5.0-liters x 200 bar, filled
(WM 1805)
Two (2) OXYWAY Fix pressure reducers type
Walther (WM 30301)
Four (4) cylinder brackets (WM 1875)
One (1) OXYWAY Click multiple oxygen
administrator with four (4) dosage setting stops for
outlets (WM 3899)
One (1) Pressure hose 1 m with G 3/8 male
threads and sealing nipple type Walther (WM 9535)
(One) 1 Pressure hose 5 m with sealing nipple type
Walther and plug in compliance with DIN 13260
(WM 9545)
Four (4) oxygen inhalation masks with
connection hose (WM 1429), packed in two (2)
accessory bags

Weight including oxygen cylinders: approx. 28 kg
Weight without oxygen cylinders: approx. 6.5 kg

WM 9520

O2 Box Rescue Click-out
consists of:
One (1) aluminium box, stackable,
with hole pattern and foam insert
Outer diameter (WxHxD): 60 x 34 x 40 cm
Inner diameter (BxHxT): 55 x 31 x 35 cm
Weight: approx. 5 kg
Equipped with one carrying handle each on the
left- and right-hand side, cover with two belts and
stainless steel hinges,
Two (2) 5 L oxygen cylinder, filled, gefüllt, G 3/4,
Two (2) OXYWAY Fix III, G 3/4,
One (1) pressure hose, 5 m, white,
with plug connector for quick-release coupler
type Walther and O2 connector (DIN 13260) for
central gas system outlet,
One (1) pressure hose, 1 m, white,
with plug connector for quick-release coupler
type Walther and angled connection nozzle with
swivel nut G 3/8,
4x inhalation mask, synthetic, with hose
(WM 1429),
2x accessory bag, size M, blue, 250 x 120 x 70
mm (WM 9026),

WM 9530

1x holding plate for device rail adapters (WM 3805),
OXYWAY Click multiple oxygen administrator
with four (4) dosage setting stops for outlets
and Multiport,
with two adapters for standard device rails

Outlet:

Four (4) UNF 9/16 male thread, 0-15 l/min, dosage
setting stops, incl. four (4) angled connection
nozzles UNF 9/16 (WM 31130)

Inlet / outlet:

One (1) G 3/8 male thread,

One (1) adapter with quick release coupler type
Walther (WM 1485)

One (1) adapter with quick release coupler in
accordance with DIN 13260 (WM 3881)

O2 Box Rescue Ventilation

consists of:

One (1) aluminium box, stackable,
with hole pattern and foam insert

Outer diameter (WxHxD): 60 x 34 x 40 cm

Inner diameter (BxHxT): 55 x 31 x 35 cm

Weight: approx. 5 kg

Equipped with one carrying handle each on the
left- and right-hand side, cover with two belts and
stainless steel hinges,

One (1) 5 L oxygen cylinder, filled, gefüllt, G 3/4,

One (1) OXYWAY Fix III, G 3/4,

One (1) pressure hose, 38 cm, white,

with plug connector for quick-release coupler
type Walther and angled connection nozzle with
swivel nut G 3/8,

One (1) MEDUMAT Standard (WM 22500),

One (1) MANUVAC (WM 10800),

Set of disposable suction catheters (WM 15051),
consists of three of each of the following:

Ch. 06 / Ø 2 mm,

Ch. 10 / Ø 3 mm,

Ch. 12 / Ø 4 mm .

One (1) secretions nozzle with fingertip control
and stopper (WM 2251),

One (1) silicone ventilation mask, size 0
(small child) (WM 11110)

One (1) silicone ventilation mask, size 3 (child)
(WM 11113)

One (1) silicone ventilation mask, size 5 (adult)
(WM 11115)

One (1) inhalation mask with bag and hose
(WM 1422),

Ten (10) fleece cloth, 200 x 300 mm (1x WM 3124),

One (1) set of oropharyngeal tubes (Guedel)
(WM 15483)

consists of one each of the following:

- for adults, Size 3,

- for juveniles, Size 2,

- for children, Size 1
 - for small children, Size 0
 - for neonates, Size 000
- One (1) set of nasalpharyngeal tubes (Wendl)
(WM 15484)
consists of one each of the following:
- ch. 26,
 - ch. 30

The article contains the following substances included on the candidate list according to article 59 (1, 10) of Regulation (EC) No 1907/2006 (REACH) in a concentration above 0.1 % weight by weight: DEHP (CAS No. 117-81-7, EC No. 204-211-0)
The packaging materials contain no substances included on the candidate list in a concentration above 0.1 % weight by weight.

Accessories and Replacement Parts

WM 3899

OXYWAY Click multiple oxygen administrator with four (4) dosage setting stops for outlets
Outlet:
Four (4) UNF 9/16 male thread, 0-15 l/min, dosage setting stops, incl. four (4) angled connection nozzle UNF 9/16 (WM 31130)
Inlet / outlet:
One (1) G 3/8 male thread,
One (1) T-shaped distributor without check valve type Walther (WM 8187)
One (1) quick release coupler in accordance with DIN 13260 (WM 30026)

WM 3804

OXYWAY Click multiple oxygen administrator with four (4) dosage setting stops for outlets and Multiport,
with two adapters for standard device rails
Outlet:
Four (4) UNF 9/16 male thread, 0-15 l/min, dosage setting stops, incl. four (4) angled connection nozzles UNF 9/16 (WM 31130)
Inlet / outlet:
One (1) G 3/8 male thread,
One (1) adapter with quick release coupler type Walther (WM 1485)
One (1) adapter with quick release coupler in accordance with DIN 13260 (WM 3881)

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

WM 66410

User manual O2 Box Rescue, DE

| | |
|----------|---|
| WM 67520 | User manual O2 Box Rescue Click-out, DE |
| WM 67510 | User manual O2 Box Rescue Ventilation, DE |
| WM 66411 | User manual O2 Box Rescue, EN / ES |
| WM 66412 | User manual O2 Box Rescue, FR / IT |

Bag-Valve-Mask Resuscitator and demand valve

COMBIBAG Bag-Valve-Mask Resuscitator

| | |
|----------|--|
| WM 11090 | COMBIBAG resuscitator for adults and children without mask, in carton |
| WM 11020 | COMBIBAG resuscitator for adults and children Supply schedule: COMBIBAG resuscitator (WM11000), resuscitation mask with inflatable mask seal of silicone for adults, Size 5 (WM 5074), packed in carton |
| WM 11025 | COMBIBAG resuscitator for adults and children Supply schedule: COMBIBAG resuscitator (WM11000), resuscitation mask with inflatable mask seal of silicone for adults, Size 5 (WM 5074), resuscitation mask with inflatable mask seal of silicone for children and juveniles, Size 3 (WM 5082), packed in carton |
| WM 11050 | COMBIBAG resuscitator for adults and children Supply schedule: COMBIBAG resuscitator (WM11000), resuscitation mask with inflatable mask seal of silicone for adults, Size 5 (WM5074), resuscitation mask with inflatable mask seal of silicone for children and juveniles, Size 3 (WM 5082), resuscitation mask for infants, Size 1 (WM 5086), packed in carton |
| WM 11026 | COMBIBAG resuscitator for adults and children Supply schedule: COMBIBAG resuscitator (WM11000), resuscitation mask with inflatable mask seal of silicone for adults, resuscitation mask of silicone for juveniles, Size 3 (WM 5083), packed in carton |

Accessories and Replacement Parts for COMBIBAG

| | |
|------------|--|
| WM 3215 | PEEP valve with connection cone, infinitely adjustable 2.5-10 mbar (22 mm external diameter) |
| WM 1145/43 | Round cord ring, Ø 42 mm (Tag hanger, old, for COMBIBAG) |
| WM 1145/49 | Tag hanger, new, for COMBIBAG Ø 60 mm |
| WM 1145/82 | Washer 30/35 x 0.5 mm |
| WM 11001 | Bag for COMBIBAG |
| WM 11002 | Valve housing |
| WM 11003 | Resuscitator valve, without relief valve for COMBIBAG |
| WM 11004 | Adapter for COMBIBAG |

| | |
|----------|---|
| WM 11006 | Valve element for COMBIBAG |
| WM 11007 | Valve insert for COMBIBAG |
| WM 11008 | Inlet diaphragm for COMBIBAG |
| WM 11021 | Suction valve (interior part) for COMBIBAG |
| WM 11022 | Suction valve (exterior part) for COMBIBAG |
| WM 11030 | Bi-level relief valve for COMBIBAG |
| WM 11035 | Ventilation valve, complete, for COMBIBAG |
| WM 11043 | Spring for COMBIBAG |
| WM 11051 | Suction component with inlet diaphragm for COMBIBAG |
| WM 11052 | Oxygen reservoir for COMBIBAG resuscitator |
| WM 22169 | Adapter for OXYMAND demand valve for Combibag, i.d. 17 mm, o.d. 24 mm |
| WM 50455 | Safety ring 30 x 1.5 mm |

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

| | |
|----------|-----------------------------------|
| WM 16009 | Instructions for use COMBIBAG, DE |
| WM 16013 | User Manual COMBIBAG, EN |
| WM 16014 | User Manual COMBIBAG, FR |
| WM 16113 | User Manual COMBIBAG, PL |
| WM 16914 | User Manual COMBIBAG, IT |
| WM 66235 | User Manual COMBIBAG, ES |
| WM 66236 | User Manual COMBIBAG, PT |
| WM 66237 | User Manual COMBIBAG, RU |
| WM 66238 | User Manual COMBIBAG, ZH |

Silicone bag-valve-mask resuscitators

| | |
|----------|---|
| WM 11101 | Silicone bag-valve-mask resuscitator for infants Supply Schedule: Silicone bag 240 ml with patient valve and pressure relief valve, silicone ventilation masks size 0 + 1 + 2, oxygen reservoir 600 ml including reservoir valve |
| WM 11102 | Silicone bag-valve-mask resuscitator for children Supply Schedule: Silicone bag 500 ml with patient valve and pressure relief valve, silicone ventilation mask size 3, oxygen reservoir 2600 ml including reservoir valve |
| WM 11103 | Silicone bag-valve-mask resuscitator for adults Supply Schedule: Silicone bag 1600 ml with patient valve and pressure relief valve, silicone ventilation mask size 5, oxygen reservoir 2600 ml including |

reservoir valve

Accessories and Replacement Parts for Silicone bag-valve-mask resuscitator

| | |
|----------|---|
| WM 1411 | Ventilation hose, steramid, 6/9 Ø, 2000 mm long |
| WM 11108 | Connector for PEEP valve |
| WM 11104 | Patient valve for all 3 sizes of the silicone bag-valve-mask resuscitator |
| WM 11105 | Reservoir valve for both sizes of oxygen reservoir bag |
| WM 11106 | Oxygen reservoir bag 600 ml |
| WM 11107 | Oxygen reservoir bag 2600 ml |
| WM 11120 | Intake valve, complete, for all 3 sizes of the silicone bag-valve-mask resuscitator |

OXYMAND demand valve

| | |
|----------|--|
| WM 22127 | OXYMAND demand valve with adapter for COMBIBAG, including pressure hose, 1.5 m, with G 3/8 swivel nut and straight connection socket for Weinmann pressure reducers |
| WM 22128 | OXYMAND demand valve with adapter for COMBIBAG with pressure hose 1.5 m, with connector (Walther) |
| WM 22129 | OXYMAND demand valve with adapter for COMBIBAG with pressure hose 1.5 m, with connector for central gas system (DIN 13260) |
| WM 22190 | OXYMAND demand valve with adapter for the Weinmann silicone bag-valve-mask resuscitators, including pressure hose, 1.5 m, with G 3/8 swivel nut and straight connection socket for Weinmann pressure reducers |
| WM 22167 | OXYMAND demand valve with adapter for the Weinmann silicone bag-valve-mask resuscitators with pressure hose 1.5 m, with connector (Walther) |
| WM 22168 | OXYMAND demand valve with adapter for the Weinmann silicone bag-valve-mask resuscitators with pressure hose 1.5 m, with plug for central gas facility, type DIN 13260 <i>Same price for delivery with other pressure hose</i> |

Accessories and Replacement Parts for OXYMAND demand valve

| | |
|----------|--|
| WM 22180 | OXYMAND demand valve with adapter for the WEINMANN silicone bag-valve-mask resuscitators (please order a pressure hose separately) |
| WM 22191 | Pressure hose 1.5 m, with G 3/8 swivel nut and straight connection socket for OXYMAND demand |

| | |
|----------|--|
| | valve |
| WM 22192 | Pressure hose 1.5 m, with connector (Walther) for OXYMAND demand valve |
| WM 22193 | Pressure hose 1.5 m, with connector (DIN 13260) for central gas system outlet for OXYMAND demand valve |
| WM 22194 | Pressure hose 1.5 m, with connector type bayonet (AFNOR) for OXYMAND demand valve |
| WM 22195 | Pressure hose 1.5 m, with connector (AGA) for OXYMAND demand valve |
| WM 22169 | Adapter for OXYMAND demand valve for Combibag, i.d. 17 mm, o.d. 24 mm |
| WM 22181 | Adapter for OXYMAND demand valve, i.d. 26mm, o.d. 31 mm (e.g. for AMBU Mark III, Mark IV, MS-30, E2 and Heraeus Hanaulife) |
| WM 22182 | Adapter for OXYMAND demand valve, i.d. 15 mm, o.d. 22 mm (e.g. for Dräger bag-valve-mask resuscitator) |
| WM 22183 | Adapter for OXYMAND demand valve, i.d. 23 mm, o.d. 28 mm |
| WM 22184 | Adapter for OXYMAND demand valve for NPB PMR-II |
| WM 22185 | Silicone adapter for OXYMAND demand valve, i.d. 17 mm, o.d. 22 mm |
| WM 22187 | Adapter for OXYMAND demand valve, for Weinmann silicone bag-valve-mask resuscitators, i.d. 26 mm, o.d. 31 mm |
| WM 22188 | Adapter for OXYMAND demand valve, i.d. 25,6 mm, o.d. 30,8 mm (e.g. for new Laerdal bag-valve-mask resuscitator LSR from approx. 2006 on) |
| WM 22189 | Adapter for OXYMAND demand valve, i.d. 23 mm, o.d. 28 mm (e.g. for old Laerdal bag-valve-mask resuscitator LSR until approx. 2005 incl.) |

Ventilation aid

The following articles are to be discontinued shortly

LIFEWAY ventilation aid

| | |
|----------|---|
| WM 10560 | LIFEWAY ventilation aid with tube Supply Schedule: LIFEWAY valve with disposable gloves, vinyl (WM 10586), Tube (WM 10525) |
| WM 10580 | LIFEWAY ventilation aid with disposable ventilation mask Supply Schedule: LIFEWAY valve with disposable gloves, vinyl (WM 10586), Disposable ventilation mask for adults, Size 5 (WM 10565) |
| WM 10590 | LIFEWAY ventilation aid with disposable ventilation mask Supply Schedule: LIFEWAY valve with disposable gloves, vinyl (WM 10586), Disposable ventilation mask for adults, Size 5 (WM 10565) Disposable ventilation mask for children and juveniles, Size 3 (WM 10563), Disposable ventilation mask for infants, Size 1, (WM 10561) |

Accessories and Replacement Parts for LIFEWAY

| | |
|----------|--|
| WM 10565 | Disposable ventilation mask for adults, Size 5 |
| WM 10563 | Disposable ventilation mask for children and juveniles, Size 3 |
| WM 10561 | Disposable ventilation mask for infants, Size 1 |
| WM 10525 | Tube for LIFEWAY |
| WM 10586 | LIFEWAY valve with disposable gloves, vinyl |
| WM 10585 | LIFEWAY valve |
| WM 3211 | Lip membrane |
| WM 10506 | Mouth rim cap for LIFEWAY |
| WM 10507 | Tube for LIFEWAY |
| WM 10511 | Nose clip for LIFEWAY |
| WM 10582 | Valve chamber (new) for LIFEWAY |
| WM 10583 | Mouthpiece (new) for LIFEWAY |
| WM 10584 | Cover for O2 port for LIFEWAY |

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

WM 16107

User Manual LIFEWAY ,
DE, EN, FR, ES

Patient Interface/Ventilation masks

Ventilation mask with inflatable seal

| | |
|---------|---|
| WM 5074 | Resuscitation mask with inflatable mask seal of silicone for adults, Size 5 |
| WM 5082 | Resuscitation mask with inflatable mask seal of silicone for children and juveniles, Size 3 |
| WM 5086 | Resuscitation mask with inflatable mask seal of silicone for infants, Size 1 |

Accessories and Replacement Parts for ventilation mask with inflatable seal

| | |
|----------|--|
| WM 11073 | Mask attachment ring (for WM5074 and WM 5082) |
| WM 11074 | Stopper (for WM 5074, WM 5082, WM 5086) |
| WM 15572 | Set stopper for mask seal, for masks WM 5074, WM 5082, WM 5086 (5x WM 11074) |
| WM 11086 | Inflatable mask seal of silicone (for WM 5074) |
| WM 11087 | Inflatable mask seal of silicone (for WM 5082) |
| WM 11088 | Inflatable mask seal of silicone (for WM 5086) |
| WM 11097 | Mask body (for WM 5074) |
| WM 11098 | Mask body (for WM 5082) |
| WM 11099 | Mask body (for WM 5086) |

Various Masks

| | |
|----------|--|
| WM 5063 | Rendell-Baker resuscitation mask of silicone for children from ages 3 to 12 years, Size 3 |
| WM 5062 | Rendell-Baker resuscitation mask of silicone for children, ages 1 to 3 years, Size 2 |
| WM 5061 | Rendell-Baker resuscitation mask of silicone for small children up to 1 year old, Size 1 |
| WM 5060 | Rendell-Baker resuscitation mask of silicone for infants, Size 0 |
| WM 15482 | Set of Rendell-Baker ventilation masks of silicone consists of one of each of the following: - for children, 3-12 years (WM 5063), - for children, 1-3 years (WM 5062), - for infants up to 1 year (WM 5061), - for neonates (WM 5060) |
| WM 10565 | Disposable ventilation mask for adults, Size 5 |
| WM 10563 | Disposable ventilation mask for children and juveniles, Size 3 |
| WM 10561 | Disposable ventilation mask for infants, Size 1 |

Silicone ventilation masks

| | |
|----------|---|
| WM 11110 | Silicone ventilation mask, size 0 (small child) |
| WM 11111 | Silicone ventilation mask, size 1 (small child) |
| WM 11112 | Silicone ventilation mask, size 2 (small child) |
| WM 11113 | Silicone ventilation mask, size 3 (child) |
| WM 11115 | Silicone ventilation mask, size 5 (adult) |

CPAP-/NIV Masks

| | |
|----------|---|
| WM 20703 | CPAP-/NIV disposable mask with air cushion, Size S (child) with retaining ring for headgear |
| WM 20704 | CPAP/NIV disposable mask with air cushion, Size M (adult), with retaining ring for headgear |
| WM 20705 | CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear |
| WM 15807 | Set CPAP/NIV disposable mask with air cushion, consisting of: One (1) mask in each size S, M and L and One (1) headgear |
| WM 15831 | Set of 25 CPAP/NIV disposable mask with air cushion, Size S (child), with retaining ring for headgear |
| WM 15832 | Set of 25 CPAP/NIV disposable mask with air cushion, Size M (adult), m with retaining ring for headgear |
| WM 15833 | Set of 25 CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear |
| WM 15834 | Set of 50 CPAP/NIV disposable mask with air cushion, Size S (child), with retaining ring for headgear |
| WM 15835 | Set of 50 CPAP/NIV disposable mask with air cushion, Size M (adult), m with retaining ring for headgear |
| WM 15836 | Set of 50 CPAP/NIV disposable mask with air cushion, Size L (large adult), with retaining ring for headgear |
| WM 20713 | CPAP/NIV reusable silicone mask, Size S (child) Please order headgear and retaining ring separately |
| WM 20714 | CPAP/NIV reusable silicone mask, Size M (adult) Please order headgear and retaining ring separately |
| WM 20715 | CPAP/NIV reusable silicone mask, Size L (large adult) Please order headgear and retaining ring separately |

| | |
|----------|--|
| WM 15808 | Set CPAP/NIV reusable silicone mask, consisting of: One (1) reusable mask in each size S, M and L One (1) headgear (WM 20702) One (1) retaining ring for headgear (WM 20701) |
| WM 20702 | Headgear for CPAP-/NIV masks |
| WM 20701 | Retaining ring for headgear only for CPAP/NIV reusable mask |

MEDUMAT - Old Models

Accessories and Replacement Parts for MEDUMAT

| | |
|------------|--|
| WM 1145 | O-Ring, 12.3 x 2.4 |
| WM 1145/31 | Sealing washer, 7 x 14 x 2, for 3/8 threaded connection |
| WM 1413 | Swivel nut for pressure hose |
| WM 2082 | Silicone hose, 70 Shore, transparent Inner diameter: 6 mm |
| WM 3207 | Upper part with two-stage oxygen valve for patient valve WM 4017 for MEDUMAT WM 4011 |
| WM 3216 | Inlet socket, interior diameter 30 mm, for PEEP valve |
| WM 4015 | Patient valve with two-level oxygen valve, connection hose and ventilation mask, Size 5, for adults, for MEDUMAT WM 4011 |
| WM 4017 | Patient valve with two-level oxygen valve, connection hose, without ventilation mask WM 5074 for MEDUMAT WM 4011 |
| WM 7571 | Dust filter for all MEDUMAT Devices |
| WM 7597 | Test gauge for vacuum |
| WM 7599 | Test hose connection piece |
| WM 7915 | Front ring for MEDUMAT |

Accessories and Replacement Parts for MEDUMAT

Variable and Compact

| | |
|----------|---|
| WM 3205 | Patient valve without hose connector consists of: - Upper part (WM 3181) - Lower part (WM 3210) - Lip membrane (WM 3211) |
| WM 3181 | Control element, upper part |
| WM 3210 | Control element, lower part |
| WM 3211 | Lip membrane |
| WM 3213 | Tube connection for patient valve |
| WM 3914 | Patient valve with spiral hose, without mask |
| WM 4016 | Patient valve with spiral hose and ventilation mask, Size 5, for adults |
| WM 4158 | Test set for functional check of MEDUMAT Variable |
| WM 5740 | Spiral ventilation hose, 1.55 m, of silicone for MEDUMAT Variable + Compact |
| WM 7448 | Test set for vacuum measurement gauge |
| WM 22799 | Test set for functional check of MEDUMAT |

WM 1421 Compact
Test bag for MEDUMAT Compact and Variabel

Accessories and Replacement Parts for Portable Systems (old models)

WM 2037 Spring clamp, complete, for resuscitator and inhalation equipment

WM 8169 Should strap for portable systems

WM 5274 Case handle to retrofit LIFE-BASE with MEDUMAT Elektronik

WM 15069 Retrofit set of Velcro closures for portable system

WM 15174 Replacement set of locks for portable systems

WM 22722 Bracket on wall mounting for MEDUMAT Compact/MEDUMAT Compact-i

WM 53050 Oval head screw M4 x 8 for retrofit of case handle on LIFE-BASE with MEDUMAT Elektronik

WM 53530 Washer, 4.3 DIN 9021, MS-NI

Instructions for use

User manuals can be downloaded free of charge from www.weinmann.de

WM 16079 User Manual MEDUMAT Variable 4, DE (WM 16079)

WM 16082 User Manual for MEDUMAT Variable 2, DE

WM 16081 User Manual for MEDUMAT Variable 4, DE (WM 16081)

WM 16059 User Manual for MEDUMAT Compact, DE

WM 16063 User Manual for MEDUMAT Compact-i; DE (WM 16063),

WM 16080 User Manual MEDUMAT Variable, EN

WM 16089 User Manual MEDUMAT Variable, IT

WM 16092 User Manual MEDUMAT Variable, ES

WM 16095 User Manual MEDUMAT Compact/Compact-i, EN

WM 16096 User Manual MEDUMAT Compact/Compact-i, ES

The following articles are to be discontinued shortly

WM 5084 Resuscitation mask of silicone for adults, Size 5

WM 5084 Resuscitation mask of silicone for adults, Size 5

WM 5083 Resuscitation mask of silicone for juveniles, Size 3

WM 5090 Resuscitation mask of silicone, one-piece for

| | |
|----------|---|
| | infants, Size 0 |
| WM 5091 | Resuscitation mask of silicone, one-piece for small children, Size 1 |
| WM 5092 | Resuscitation mask of silicone, one-piece for children, Size 2 |
| WM 22220 | MODUL Suction for aspiration 0-0.5 bar with O2 quick-release coupler (Type Walther) |
| WM 22260 | MODUL Suction for aspiration 0-0.5 bar with O2 quick-release coupler (Type AGA) |
| WM 22350 | MODUL Suction for aspiration 0-0.5 bar with O2 quick-release coupler (Type Bayonett) |
| WM 22230 | MODUL Interface for supply of external O2-operated devices, with quick-release coupler (Type DIN) |
| WM 22270 | MODUL Interface to supply external O2-operated devices, with quick-release coupling (Type Bajonett) |
| WM 22280 | MODUL Interface for supply of external O2 operated devices, with quick-release coupling (Type AGA) |
| WM 22290 | MODUL Interface for supply of external O2 operated devices, with quick-release coupling (Type Walther) |