

Supply Schedules

2009

Home Mechanical Ventilation

No. 129783 - Valid from 01.12.2009
Suggested sales prices. V.A.T. excluded.

This price list is valid from 01.12.2009 and until the publication date of the subsequent list. Note: our price lists are regularly updated at short notice. Please make sure you have the current price list before you order by calling us (+49-(0)40-547 02-0) or by using your customer log-in to check our Web site (www.weinmann.de). All previously issued price lists lose their validity as of the publication date of the newest price list. We reserve the right to make changes to designs and equipment, especially those resulting from ongoing development of new production series, without prior notice. WEINMANN is entitled to exclusive use of any and all forms of copyright related to this publication unless it grants express permission to another party.

Table of Contents

	Page
Ventilation	3
Ventilation Therapy Sets	3
Accessories Ventilation	24
Replacement Parts Ventilation	26
Software	27
Instructions for use	28
Flat-rate fee for re-assignment or change of patients	32
Flat rate maintenance	32
Maintenance and Safety Checks	32

Ventilation

Ventilation Therapy Sets

VENTIllogic LS

VENTIllogic LS Leakage Ventilation

WM 27100

VENTIllogic LS, leakage ventilation
supply schedule consisting of:
VENTIllogic LS, device with battery (WM 27130)
Power cord (WM 24177)
Protective bag for VENTIllogic LS/ VENTIllogic plus
(WM 27106)
Set, conversion to leakage ventilation, packed
(WM15545) consisting of:
- adapter, leakage ventilation (WM 27122)
- drying adapter (WM 24203)
- patient circuit (WM 24130)
Information and spare parts set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-coupling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Instructions for use VENTIllogic LS, DE
(WM 66800)

WM 27110

VENTIllogic LS, leakage ventilation with humidifier
VENTIclick
supply schedule consisting of:
VENTIllogic LS, device with battery (WM 27130)
VENTIclick humidifier, clicks into place
(WM 24365)
Power cord (WM 24177)
Protective bag for VENTIllogic LS/ VENTIllogic plus
(WM 27106)
Set, conversion to leakage ventilation, packed
(WM15545) consisting of:
- adapter, leakage ventilation, (WM 27122)
- drying adapter (WM 24203)
- patient circuit (WM 24130)
Information and spare parts set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-coupling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Instructions for use VENTIllogic LS, DE
(WM 66800)

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

Instructions for use VENTiClick, DE (WM 16858)

WM 27115	<p>VENTIlogic LS, leakage ventilation with external battery VENTIpower supply schedule consisting of: VENTIlogic LS, device with battery (WM 27130) VENTIpower external rechargeable battery for mobile power supply (WM 27640) Power cord (WM 24177) Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106) Set, conversion to leakage ventilation, packed (WM15545) consisting of:</p> <ul style="list-style-type: none"> - adapter, leakage ventilation, (WM 27122) - drying adapter (WM 24203) - patient circuit (WM 24130) <p>Information and spare parts set (WM 15494) consisting of:</p> <ul style="list-style-type: none"> - coarse dust filter (WM 24880) - fine filter, packed (WM 15026) - coarse dust filter, fan (WM 27759) - O2-coupling (WM 27166) - Allen wrench, size 3 (WM 24708) - patient passport (WM 66810) <p>Instructions for use VENTIlogic LS, DE (WM 66800) Instructions for use VENTIpower, DE (WM 16325)</p>
WM 27120	<p>VENTIlogic LS, leakage ventilation with humidifier VENTIclick and external battery VENTIpower supply schedule consisting of: VENTIlogic LS, device with battery (WM 27130) VENTIclick humidifier, clicks into place (WM 24365) VENTIpower external rechargeable battery for mobile power supply (WM 27640) Power cord (WM 24177) Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106) Set, conversion to leakage ventilation, packed (WM15545) consisting of:</p> <ul style="list-style-type: none"> - adapter, leakage ventilation (WM 27122) - drying adapter (WM 24203) - patient circuit (WM 24130) <p>Information and spare parts set (WM 15494) consisting of:</p> <ul style="list-style-type: none"> - coarse dust filter (WM 24880) - fine filter, packed (WM 15026) - coarse dust filter, fan (WM 27759) - O2-coupling (WM 27166) - Allen wrench, size 3 (WM 24708) - patient passport (WM 66810) <p>Instructions for use VENTIlogic LS, DE (WM 66800) Instructions for use VENTIclick, DE (WM 16858) Instructions for use VENTIpower, DE (WM 16325)</p>

VENTIlogic LS single patient circuit with patient valve

WM 27700

VENTIlogic LS, single patient circuit with patient valve,
supply schedule, consisting of:
VENTIlogic LS basic device with battery (WM 27130)
Power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106)
Single patient circuit valve ventilation (WM 27181)
Test adapter, packed (WM 27140)
Adapter leakage ventilation, packed (WM 27199)
Information and spare part set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Instructions for use of VENTIlogic LS, DE (WM 66800)

WM 27715

VENTIlogic LS, single patient circuit with patient valve and external battery VENTIpower,
supply schedule consisting of:
VENTIlogic LS basic device with battery (WM 27130)
VENTIpower external rechargeable battery for mobile power supply (WM 27640)
Power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106)
Single patient circuit valve ventilation (WM 27181)
Test adapter, packed (WM 27140)
Adapter leakage ventilation, packed (WM 27199)
Information and spare part set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Instructions for use VENTIlogic LS, DE (WM 66800)
Instructions for use VENTIpower, DE (WM 16325)

VENTIlogic LS double patient circuit with patient valve

WM 27710

VENTIlogic LS, double patient circuit with patient valve supply schedule consisting of:
 VENTIlogic LS basic device with battery (WM 27130)
 power cord (WM 24177)
 Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106)
 Set, conversion to double patient circuit with patient valve, packed (WM 15546) consisting of:
 - exhalation module, packed (WM 27185)
 - double patient circuit with patient valve (WM 27182)
 Test adapter, packed (WM 27140)
 Adapter, leakage ventilation, packed (WM 27199)
 Information and spare part set (WM 15494), consisting of:
 - coarse dust filter (WM 24880)
 - fine filter, packed (WM 15026)
 - coarse dust filter, fan (WM 27759)
 - O2-cuppling (WM 27166)
 - Allen wrench, size 3 (WM 24708)
 - patient passport (WM 66810)
 Instructions for use for VENTIlogic LS, DE (WM 66800)

WM 27730

VENTIlogic LS, double patient circuit with patient valve and external battery VENTIpower, supply schedule consisting of:
 VENTIlogic LS basic device with battery (WM 27130)
 VENTIpower external rechargeable battery for mobile power supply (WM 27640)
 power cord (WM 24177)
 Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106)
 Set, conversion to double patient circuit with patient valve, packed (WM 15546) consisting of:
 - exhalation module, packed (WM 27185)
 - double patient circuit with patient valve (WM 27182)
 Test adapter, packed (WM 27140)
 Adapter leakage ventilation, packed (WM 27199)
 Information and spare part set (WM 15494), consisting of:
 - coarse dust filter (WM 24880)
 - fine filter, packed (WM 15026)
 - coarse dust filter, fan (WM 27759)
 - O2-cuppling (WM 27166)
 - Allen wrench, size 3 (WM 24708)
 - patient passport (WM 66810)
 Instructions for use of VENTIlogic LS, DE (WM 66800)

- VENTIlogic LS hospital**
- WM 27750 VENTIlogic LS, hospital supply schedule consisting of:
VENTIlogic LS basic device with battery (WM 27130)
Power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106)
Single patient circuit valve ventilation (WM 27181)
Patient circuit, Leakage ventilation, sterilizable (WM 24120)
Set, conversion to double patient circuit with patient valve, packed (WM 15546) consisting of:
- exhalation module, packed (WM 27185)
- double patient circuit with patient valve (WM 27182)
Test adapter, packed (WM 27140)
Adapter, leakage ventilation, packed (WM 27199)
Drying adapter (WM 24203)
Information and spare part set (WM 15494), consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O₂-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Set, O₂-measurement (WM15732) consisting of:
- connection cable for O₂ sensor (WM 27792)
- O₂ sensor (WM 27128)
- T-piece, O₂ sensor (WM 27143)
Bacteria filter, leakage ventilation (WM 24148)
Bacteria filter, valve ventilation (WM 24476)
Instructions for use VENTIlogic LS, DE (WM 66800)
Instructions for use for hospital staff, DE (WM 66790)
Brief operating instructions, DE (WM 66780)

WM 27760 VENTIllogic LS hospital supply schedule with humidifier VENTlclick consisting of:
VENTIllogic LS basic device with battery (WM 27130)
VENTlclick humidifier, clicks into place (WM 24365)
Power cord (WM 24177)
Protective bag for VENTIllogic LS/ VENTIllogic plus (WM 27106)
Single patient circuit valve ventilation (WM 27181)
Patient circuit, Leakage ventilation, sterilizable (WM 24120)
Set, conversion to double patient circuit with patient valve, packed (WM 15546) consisting of:
- exhalation module, packed (WM 27185)
- double patient circuit with patient valve (WM 27182)
Test adapter, packed (WM 27140)
Adapter, leakage ventilation, packed (WM 27199)
Drying adapter (WM 24203)
Information and spare part set (WM 15494), consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Set, O2-measurement (WM15732) consisting of:
- connection cable for O2 sensor (WM 27792)
- O2 sensor (WM 27128)
- T-piece, O2 sensor (WM 27143)
Bacteria filter, leakage ventilation (WM 24148)
Bacteria filter, valve ventilation (WM 24476)
Instructions for use VENTIllogic LS, DE (WM 66800)
Instructions for use for hospital staff, DE (WM 66790)
Brief operating instructions, DE (WM 66780)

WM 27765

VENTIlogic LS hospital supply schedule with external battery VENTIpower consisting of:

- VENTIlogic LS basic device with battery (WM 27130)
- VENTIpower external rechargeable battery for mobile power supply (WM 27640)
- Power cord (WM 24177)
- Protective bag for VENTIlogic LS (WM 27106)
- Single patient circuit valve ventilation (WM 27181)
- Patient circuit, Leakage ventilation, sterilizable (WM 24120)
- Set, conversion to double patient circuit with patient valve, packed (WM 15546) consisting of:
 - exhalation module, packed (WM 27185)
 - double patient circuit with patient valve (WM 27182)
- Test adapter, packed (WM 27140)
- Adapter, leakage ventilation, packed (WM 27199)
- Drying adapter (WM 24203)
- Information and spare part set (WM 15494), consisting of:
 - coarse dust filter (WM 24880)
 - fine filter, packed (WM 15026)
 - coarse dust filter, fan (WM 27759)
 - O2-cuppling (WM 27166)
 - Allen wrench, size 3 (WM 24708)
 - patient passport (WM 66810)
- Set, O2-measurement (WM15732) consisting of:
 - connection cable for O2 sensor (WM 27792)
 - O2 sensor (WM 27128)
 - T-piece, O2 sensor (WM 27143)
- Bacteria filter, leakage ventilation (WM 24148)
- Bacteria filter, valve ventilation (WM 24476)
- Instructions for use for VENTIlogic LS, DE (WM 66800)
- Instructions for use for hospital staff, DE (WM 66790)
- Brief operating instructions, DE (WM 66780)

WM 27770	<p>VENTIlogic LS hospital supply schedule with humidifier VENTlick and external battery VENTpower consisting of:</p> <p>VENTIlogic LS basic device with battery (WM 27130)</p> <p>VENTlick humidifier, clicks into place (WM 24365)</p> <p>VENTpower external rechargeable battery for mobile power supply (WM 27640)</p> <p>Power cord (WM 24177)</p> <p>Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106)</p> <p>Single patient circuit valve ventilation (WM 27181)</p> <p>Patient circuit, Leakage ventilation, sterilizable (WM 24120)</p> <p>Set, conversion to double patient circuit with patient valve, packed (WM 15546) consisting of:</p> <ul style="list-style-type: none"> - exhalation module, packed (WM 27185) - double patient circuit with patient valve (WM 27182) <p>Test adapter, packed (WM 27140)</p> <p>Adapter, leakage ventilation, packed (WM 27199)</p> <p>Drying adapter (WM 24203)</p> <p>Information and spare part set (WM 15494), consisting of:</p> <ul style="list-style-type: none"> - coarse dust filter (WM 24880) - fine filter, packed (WM 15026) - coarse dust filter, fan (WM 27759) - O₂-cuppling (WM 27166) - Allen wrench, size 3 (WM 24708) - patient passport (WM 66810) <p>Set, O₂-measurement (WM15732) consisting of:</p> <ul style="list-style-type: none"> - connection cable for O₂ sensor (WM 27792) - O₂ sensor (WM 27128) - T-piece, O₂ sensor (WM 27143) <p>Bacteria filter, leakage ventilation (WM 24148)</p> <p>Bacteria filter, valve ventilation (WM 24476)</p> <p>Instructions for use for VENTIlogic LS, DE (WM 66800)</p> <p>Instructions for use for hospital staff, DE (WM 66790)</p> <p>Brief operating instructions, DE (WM 66780)</p> <p>Instructions for use VENTlick, DE (WM 16858)</p> <p>Instructions for use VENTpower, DE (WM 16325)</p>
----------	--

VENTIlogic plus

VENTIlogic plus Leakage Ventilation

WM 27930

VENTIlogic plus, leakage ventilation supply schedule, consisting of:
VENTIlogic plus, basic device with battery (WM 27905)
Power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106)
Set, conversion to leakage ventilation, packed consistion of (WM 15545):
- adapter, leakage ventilation (WM 27122)
- drying adapter (WM 24203)
- patient circuit (WM 24130)
Information and spare part set (WM 15494) consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Instructions for use VENTIlogic plus, DE (WM 67160)

WM 27915

VENTIlogic plus, leakage ventilation with humidifier VENTIclick supply schedule consisting of:
VENTIlogic plus, device with battery (WM 27905)
VENTIclick humidifier, clicks into place (WM 24365)
Power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106)
Set, conversion to leakage ventilation, packed (WM15545) consisting of:
- adapter, leakage ventilation, (WM 27122)
- drying adapter (WM 24203)
- patient circuit (WM 24130)
Information and spare parts set (WM 15494) consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-coupling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Instructions for use VENTIlogic plus, DE (WM 67160)
Instructions for use VENTIclick, DE (WM 16858)

WM 27920	<p>VENTIlogic plus, leakage ventilation with external battery VENTIpower supply schedule consisting of: VENTIlogic plus, device with battery (WM 27905) VENTIpower external rechargeable battery for mobile power supply (WM 27640) Power cord (WM 24177) Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106) Set, conversion to leakage ventilation, packed (WM15545) consisting of: - adapter, leakage ventilation, (WM 27122) - drying adapter (WM 24203) - patient circuit (WM 24130) Information and spare parts set (WM 15494) consisting of: - coarse dust filter (WM 24880) - fine filter, packed (WM 15026) - coarse dust filter, fan (WM 27759) - O2-coupling (WM 27166) - Allen wrench, size 3 (WM 24708) - patient passport (WM 66810) Instructions for use VENTIlogic plus, DE (WM 67160) Instructions for use VENTIpower, DE (WM 16325)</p>
WM 27925	<p>VENTIlogic plus, leakage ventilation with humidifier VENTIcon and external battery VENTIpower supply schedule consisting of: VENTIlogic plus, device with battery (WM 27905) VENTIpower external rechargeable battery for mobile power supply (WM 27640) Power cord (WM 24177) Protective bag for VENTIlogic LS/ VENTIlogic plus (WM 27106) Set, conversion to leakage ventilation, packed (WM15545) consisting of: - adapter, leakage ventilation, (WM 27122) - drying adapter (WM 24203) - patient circuit (WM 24130) Information and spare parts set (WM 15494) consisting of: - coarse dust filter (WM 24880) - fine filter, packed (WM 15026) - coarse dust filter, fan (WM 27759) - O2-coupling (WM 27166) - Allen wrench, size 3 (WM 24708) - patient passport (WM 66810) Instructions for use VENTIlogic plus, DE (WM 67160) Instructions for use VENTIcon, DE (WM 16858) Instructions for use VENTIpower, DE (WM 16325)</p>

VENTIllogic plus single patient circuit with patient valve

- WM 27900 VENTIllogic plus, single patient circuit with patient valve,
supply schedule, consisting of:
VENTIllogic plus basic device with battery (WM 27905)
Power cord (WM 24177)
Protective bag for VENTIllogic LS/ VENTIllogic plus (WM 27106)
Single patient circuit valve ventilation (WM 27181)
Test adapter, packed (WM 27140)
Adapter leakage ventilation, packed (WM 27199)
Information and spare part set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Instructions for use of VENTIllogic plus, DE (WM 67160)
- WM 27910 VENTIllogic plus, single patient circuit with patient valve and external battery VENTIpower,
supply schedule, consisting of:
VENTIllogic plus basic device with battery (WM 27905)
VENTIpower external rechargeable battery for mobile power supply (WM 27640)
Power cord (WM 24177)
Protective bag for VENTIllogic LS/ VENTIllogic plus (WM 27106)
Single patient circuit valve ventilation (WM 27181)
Test adapter, packed (WM 27140)
Adapter leakage ventilation, packed (WM 27199)
Information and spare part set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Instructions for use VENTIllogic plus, DE (WM 67160)
Instructions for use VENTIpower, DE (WM 16325)

VENTIlogic

WM 27000	<p>VENTIlogic intelligent ST Home Mechanical Ventilation Device</p> <p>Supply Schedule:</p> <p>VENTIlogic device (WM 27005), Hose system, can be disinfected (WM 24130), Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed (WM 15026) Supplemental O2plus f. VENTImotion/ VENTIlogic (WM 66846)</p>
WM 27020	<p>VENTIlogic intelligent ST Home Mechanical Ventilation Device with humidifier VENTIclick</p> <p>Supply Schedule:</p> <p>VENTIlogic device (WM 27005), VENTIclick , humidifier, clicks into place (WM 24365) Hose system, can be disinfected (WM 24130), Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed, (WM 15026)</p>
WM 27030	<p>VENTIlogic intelligent ST Home Mechanical Ventilation Device with external battery pack VENTIpower</p> <p>Supply Schedule:</p> <p>VENTIlogic device (WM 27005), VENTIpower , external battery pack for mobile power supply (WM 27630) Hose system, can be disinfected (WM 24130), Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed, (WM 15026)</p>

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

WM 27010	<p>VENTIlogic intelligent ST Home Mechanical Ventilation Device with oxygen valve VENTI-O2 plus</p> <p>Supply Schedule:</p> <p>VENTIlogic device (WM 27005), VENTI-O2 , oxygen valve, clicks into place (WM 24200), including Hose system for O2 Valve VENTI-O2 (WM 23737), Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed, (WM 15026)</p>
WM 27040	<p>VENTIlogic intelligent ST Home Mechanical Ventilation Device with humidifier VENTIclick, oxygen valve VENTI-O2 plus and external battery pack VENTIpower</p> <p>Supply Schedule:</p> <p>VENTIlogic device (WM 27005), VENTIclick , humidifier, clicks into place, (WM 24365) VENTIpower , external battery pack for mobile power supply (WM 27630), VENTI-O2 plus, oxygen valve, clicks into place (WM 27200), Hose system, (WM 24130) Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880), Fine filter (WM 24870), packed (WM 15026)</p>

	VENTImotion 2
WM 27800	<p>VENTImotion 2 Supply Schedule: VENTImotion 2 basic device (WM 27810) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Instructions for use, DE (WM 67011) Patient record (WM 67046)</p>
WM 27820	<p>VENTImotion 2 with oxygen valve VENTI-O2 plus supply schedule: VENTImotion 2 basic device (WM 27810) VENTI-O2 plus, oxygen valve, clicks into place (WM 27200) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Instructions for use, DE (WM 67010) Patient record (WM 67046)</p>
WM 27830	<p>VENTImotion 2 with humidifier VENTIconk supply schedule: VENTImotion 2 basic device (WM 27810) VENTIconk , humidifier, clicks into place (WM 24365) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Instructions for use, DE (WM 67010) Patient record (WM 67046)</p>

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

WM 27840	<p>VENTImotion 2 with external battery pack VENTIpower Supply Schedule: VENTImotion 2 basic device (WM 27810) VENTIpower, external battery pack for mobile power supply (WM 27630) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Instructions for use, DE (WM 67010) Patient record (WM 67046)</p>
WM 27850	<p>VENTImotion 2 with oxygen valve VENTI-O2 plus, humidifier VENTIclick and external battery pack VENTIpower Supply Schedule: VENTImotion 2 basic device (WM 27810) VENTI-O2 plus, oxygen valve, clicks into place (WM 27200) VENTIclick, humidifier, clicks into place (WM 24365) VENTIpower, external battery pack for mobile power supply (WM 27630) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Instructions for use, DE (WM 67010) Patient record (WM 67046)</p>

VENTImotion

WM 24800	<p>VENTImotion Bilevel ST Home Mechanical Ventilation Device</p> <p>Supply Schedule:</p> <p>VENTImotion Bilevel ST device (WM 24810), Tube system, can be disinfected (WM 24130), Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed (WM 15026) Supplemental O2plus f. VENTImotion/ VENTIllogic (WM 66846)</p>
WM 24570	<p>VENTImotion Bilevel ST Home Mechanical Ventilation Device with humidifier VENTIclick</p> <p>Supply Schedule:</p> <p>VENTImotion Bilevel ST device (WM 24810), VENTIclick , humidifier, clicks into place (WM 24365) Hose system, can be disinfected (WM 24130), Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed, (WM 15026)</p>
WM 24580	<p>VENTImotion Bilevel ST Home Mechanical Ventilation Device with external battery pack VENTIpower</p> <p>Supply Schedule:</p> <p>VENTImotion Bilevel ST 35 device (WM 24810) VENTIpower, external battery pack for mobile power supply (WM 27630) Hose system, can be disinfected (WM 24130), Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed, (WM 15026)</p>

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

WM 24560	VENTImotion Bilevel ST Home Mechanical Ventilation Device with oxygen valve VENTI-O2 plus Supply Schedule: VENTImotion Bilevel ST 35 device (WM 24810), VENTI-O2 plus, oxygen valve, clicks into place (WM 27200) Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed, (WM 15026)
WM 24590	VENTImotion Bilevel ST Home Mechanical Ventilation Device with humidifier VENTiClick , oxygen valve VENTI-O2 plus and external battery pack VENTiPower Supply Schedule: VENTImotion Bilevel ST 35 device (WM 24810), VENTiClick, humidifier, clicks into place (WM 24365) VENTiPower, external battery pack for mobile power supply (WM 27630) VENTI-O2 plus, oxygen valve, clicks into place (WM 27200) Dryer adapter (WM 24203), Transport bag (WM 24888), Power cable (WM 24177), Coarse dust filter, single (WM 24880), Fine filter (WM 24870), packed (WM 15026)

BiLevel ST 22

WM 27500

Bilevel ST 22 Home Mechanical
Ventilation Device
Supply Schedule:
BiLevel ST 22 device (WM 27510)
Hose system, can be disinfected (WM 24130)
Dryer adapter (WM 24203)
Transport bag (WM 24995)
Power cable (WM 24177)
Power supply unit (WM 24790)
Description of unit and operating instructions for
patient BiLevel ST 22, GB (WM 66131)
Patient passport DE / EN / FR (WM 66165)
Coarse dust filter, single (WM 24880)
Fine filter (WM 24870), packed (WM 15026)

WM 27520

Bilevel ST 22 Home Mechanical Ventilation
Device with humidifier VENTiClick
Supply Schedule:
BiLevel ST 22 device (WM 27510)
VENTiClick , humidifier, clicks into place
(WM 24365)
Hose system, can be disinfected (WM 24130)
Dryer adapter (WM 24203)
Transport bag (WM 24995)
Power cable (WM 24177)
Power supply unit (WM 24790)
Description of unit and operating instructions for
patient BiLevel ST 22, GB (WM 66131)
VENTiClick User Manual, GB/ES/PL (WM 16872)
Patient passport DE / EN / FR (WM 66165)
Coarse dust filter, single (WM 24880)
Fine filter (WM 24870), packed (WM 15026)

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

WM 27530	<p>Bilevel ST 22 Home Mechanical Ventilation Device with oxygen valve VENTI-O2 Supply Schedule: Bilevel ST 22 device (WM 27510) VENTI-O2 , oxygen valve, clicks into place, including hose system for O2 Valve VENTI-O2 WM 23737 (WM 24200) Dryer adapter (WM 24203) Transport bag (WM 24995) Power cable (WM 24177) Power supply unit (WM 24790) Description of unit and operating instructions for patient BiLevel ST 22, GB (WM 66131) VENTI-O2 User Manual EN / ES / PL (WM 16875) Patient passport DE/GB/FR (WM 66165) Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed (WM 15026)</p>
WM 27540	<p>Bilevel ST 22 Home Mechanical Ventilation Device with external battery pack VENTIpower Supply Schedule: Bilevel ST 22 device (WM 27510) VENTIpower , external battery pack for mobile power supply (WM 27630) Hose system, can be disinfected (WM 24130) Dryer adapter (WM 24203) Transport bag (WM 24995) Power cable (WM 24177) Power supply unit (WM 24790) Description of unit and operating instructions for patient BiLevel ST 22, EN (WM 66131) VENTIpower User Manual EN / ES / PL (WM 16367) Patient passport DE/EN/FR (WM 66165) Coarse dust filter, single (WM 24880) Fine filter (WM 24870), packed (WM 15026)</p>

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

WM 27550

Bilevel ST 22 Home Mechanical
Ventilation Device with humidifier
VENTIclick, oxygen valve VENTI-O2
and external battery pack VENTIpower
Supply Schedule:
Bilevel ST 22 device (WM 27510)
VENTIclick , humidifier, clicks into place
(WM 24365)
VENTI-O2 , oxygen valve, clicks into place,
including hose system for O2 Valve VENTI-O2
WM 23737 (WM 24200)
VENTIpower , external battery pack for
mobile power supply (WM 27630)
Dryer adapter (WM 24203)
Transport bag (WM 24995)
Power cable (WM 24177)
Power supply unit (WM 24790)
Description of unit and operating instructions for
patient BiLevel ST 22, GB (WM 66131)
VENTIclick User Manual, GB/ES/PL (WM 16872)
VENTI-O2 User Manual EN / ES / PL
(WM 16875)
VENTIpower User Manual EN / ES / PL
(WM 16367)
Patient passport DE/EN/FR (WM 66165)
Coarse dust filter, single (WM 24880)
Fine filter (WM 24870), packed (WM 15026)

Accessories Ventilation

WM 27130	VENTIlogic LS, device with battery
WM 27905	VENTIlogic plus, basic device with battery
WM 27005	VENTIlogic, basic device
WM 27810	VENTImotion 2, basic device
WM 24810	VENTImotion, basic device
WM 27510	Bilevel ST 22, basic device
WM 24120	Set, tube system for clinic consisting of: - creased tube, can be sterilized (WM 24122) - pressure measurement tube (WM 24038) - adapter tube (WM 24123) - Pressure connector (WM 24129) - sealing plugs (2x) (WM 24115)
WM 24130	Set, patient circuit, consisting of: - creased tube, can be disinfected (WM 24108) - pressure measurement tube (WM 24038) - adapter tube (WM 24123) - Pressure connector (WM 24129) - 2 sealing plugs (WM 24115)
WM 27181	Single patient circuit valve ventilation
WM 27182	Double patient circuit with patient valve
WM 15545	Set, conversion to leakage ventilation, packed consistion of: - adapter, leakage ventilation (WM 27122) - drying adapter (WM 24203) - patient circuit (WM 24130)
WM 15546	Set, conversion to double patient circuit with patient valve, packed, VENTIlogic LS consisting of: - exhalation module, packed (WM 27185) - double patient circuit with patient valve (WM 27182)
WM 24200	VENTI-O2, oxygen valve, clicks into place, including hose system for O2 Valve VENTI-O2 (WM 23737) (for BiLevel ST 22)
WM 23737	Tube system for O2 Valve (WM 24042) and VENTI-O2 (WM 24200), can be disinfected
WM 27200	VENTI-O2 plus, Oxygen valve for VENTImotion/ VENTIlogic (from SN 4000), VENTImotion 2

WM 15732	Set, O2 measurement consisting of: - connection cable for O2 sensor (WM 27792) - O2 sensor (WM 27128) - T-piece, O2 sensor (WM 27143)
WM 24365	VENTIclick humidifier, clicks into place
WM 27630	VENTIpower (f. Bilevel ST 22, Vmotion, Vmotion 2, Vlogic) external rechargeable battery for mobile power supply
WM 27640	VENTIpower (for VENTIlogic plus, VENTIlogic LS) external rechargeable battery for mobile power supply
WM 27745	VENTIremote alarm, 10m cable
WM 27755	VENTIremote alarm, 30m cable
WM 27780	Connection cable, nurse call 10m
WM 27790	Connection cable, nurse call 30m
WM 24148	Bacteria filter, packed (leakage ventilation) with 10 particle filters (WM 24147)
WM 24476	Bacteria filter (valve ventilation)
WM 27560	Analogbox D/A, including power supply unit for PSG connection
WM 27561	Analogbox D/A without power supply unit
WM 95090	Power supply unit
WM 93321	Converter cable USB-RS 485, complete
WM 93319	Connection cable, 1.5 m for Converter cable USB-RS485
WM 24037	PSG connection cable for Weinmann
WM 23904	PSG connection cable for H+L / Respirationics
WM 23908	PSG connection cable for Viasys (Jaeger)
WM 23929	PSG connection cable for MAP
WM 23941	PSG connection cable for Stimotron
WM 23976	PSG connection cable, generic
WM 27706	Carrying bag VENTIlogic LS/ VENTIlogic plus
WM 24888	Transport bag VENTImotion/ VENTIlogic
WM 24995	Transport bag BiLevel ST 22, VENTImotion 2
WM 23018	Transport bag VENTIpower
WM 24824	Address card for transport bag VENTImotion/ VENTIlogic
WM 24996	Address card for transport bag BiLevel ST 22
WM 24585	Address card for VENTIpower transport bag
WM 27140	test adapter, packed (VENTIlogic LS)
WM 24616	12V power inverter
WM 24617	24V power inverter

WM 31030 OXYWAY Click
Flow dosage setting knob for central gas facility in emergency vehicles, clicks into place at settings for 1, 2, 3, 4, 5, 6, 9, 12, 15 L/min, with plug-in connector (DIN 13260), incl. one (1) connection nozzle with swivel nut, straight, Ø 6 mm, UNF 9/16 (WM 31122)

WM 31040 OXYWAY Click
Flow dosage setting knob for central gas facility in emergency vehicles, clicks into place at settings for 1, 2, 3, 4, 5, 6, 9, 12, 15 L/min, with AGA connector, incl. one (1) connection nozzle with swivel nut, straight, Ø 6 mm, UNF 9/16 (WM 31122)

Replacement Parts Ventilation

WM 27759 Coarse dust filter, fan
WM 24880 Coarse dust filter, device inlet port
WM 15026 Fine filter (WM 24870), packed
WM 24148 Bacteria filter, packed (leakage ventilation) with 10 particle filters (WM 24147)
WM 24147 Particle filter for bacteria filter (1 piece)
WM 15584 Set I Particle filter (10 of WM 24147)
WM 15576 Set II Particle filter (100 of WM 24147)
WM 15577 Set III Particle filter (500 of WM 24147)
WM 15720 Ser of year's supply of spare filters, packed (3x fine filters, 2x coarse filters, 2x coarse dust filters for fan)
WM 24177 Power cord
WM 27804 Power supply unit VENTImotion 2
WM 24790 Power supply unit BiLevel ST 22
WM 27166 O2-coupling
WM 27106 Protective bag for VENTIllogic LS/ VENTIllogic plus
WM 24386 Heating rod VENTIclick
WM 24368 Upper part of housing VENTIclick, pre-assembled
WM 24388 Lower part of housing VENTIclick
WM 24378 Filling stopper
WM 24394 Bellows (VENTI-O2 plus)
WM 23044 connection cable 24V, grey (VENTIpower f. Vlogic plus, Vlogic LS)
WM 23046 connection cable, black (VENTIpower f. Bilevel ST 22, Vmotion, Vmotion 2, Vlogic)

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

WM 27199	Adapter leakage ventilation, packed
WM 15739	Set, adapter for valve ventilation, packed consisting of: - adapter, valve ventilation (WM 27738) - cylinder bold M4 (WM 50605)
WM 27738	Adapter, valve ventilation
WM 27185	Exhalation module, packed (VENTIlogic LS)
WM 27792	Conncting calbe for O2 sensor
WM 27128	O2 sensor
WM 27143	T-piece, O2 sensor
WM 24122	Spiral tube, can be sterilized
WM 24108	Spiral tube, can be disinfected
WM 24123	adapter tube
WM 24115	sealing plug for pressure measurement tube
WM 24038	pressure measurement tube
WM 24129	Pressure connector
WM 24203	Drying adapter
WM 24708	Allen wrench, size 3

Software

WM 93305	WEINMANNsupport PC software with converter cabla USB-RS 485 consists of - WEINMANNsupport, PC software (WM 93301) - converter cable USB-RS 485, complete (WM 93321)
WM 93350	VENTIsupport analysis software for VENTImotion/VENTIlogic/BiLevel ST 22 (only for medical and technical personnel)

Instructions for use

WM 66800	Instructions for use VENTIllogic LS, DE
WM 66801	Instructions for use VENTIllogic LS, FR, IT
WM 66802	Instructions for use VENTIllogic LS, EN, NL
WM 66803	Instructions for use VENTIllogic LS, PL
WM 66804	Instructions for use VENTIllogic LS, SE
WM 66805	Instructions for use VENTIllogic LS, TR
WM 66806	Instructions for use VENTIllogic LS, EL
WM 66807	Instructions for use VENTIllogic LS, RU
WM 66808	Instructions for use VENTIllogic LS, ZN
WM 67160	Instructions for use VENTIllogic plus, DE
WM 67161	Instructions for use VENTIllogic plus, EN
WM 67162	Instructions for use VENTIllogic plus, FR
WM 67163	Instructions for use VENTIllogic plus, NL
WM 67164	Instructions for use VENTIllogic plus, IT
WM 67165	Instructions for use VENTIllogic plus, RU
WM 67166	Gebrauchsanweisung VENTIllogic plus, EL
WM 67167	Instructions for use VENTIllogic plus, TR
WM 66090	Instructions for use VENTIllogic, DE
WM 66092	Instructions for use VENTIllogic, FR, IT, NL
WM 67010	Instructions for use VENTImotion 2, DE
WM 67011	Instructions for use VENTImotion 2, EN
WM 67012	Instructions for use VENTImotion 2, FR, IT, NL
WM 67013	Instructions for use VENTImotion 2, RU
WM 67014	Instructions for use VENTImotion 2, ZN
WM 16836	Instructions for use VENTImotion, DE
WM 16837	Instructions for use VENTImotion, FR, IT, NL
WM 16838	Instructions for use VENTImotion, EN, ES, PL
WM 16839	Instructions for use VENTImotion, SV, DA, NO
WM 16882	Instructions for use VENTImotion, FI, EL, RU
WM 66130	Instructions for use BiLevel ST 22, DE
WM 66131	Instructions for use BiLevel ST 22, EN
WM 66132	Instructions for use BiLevel ST 22, FR, IT, NL
WM 66790	Instructions for use for hospital staff VENTIllogic LS, DE
WM 66791	Instructions for use for hospital staff VENTIllogic LS, EN
WM 66792	Instructions for use for hospital staff VENTIllogic LS, FR
WM 66793	Instructions for use for hospital staff VENTIllogic LS, IT

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

WM 66794	Instructions for use for hospital staff VENTIlogic LS, NL
WM 66795	Instructions for use for hospital staff VENTIlogic LS, PL
WM 66796	Instructions for use for hospital staff VENTIlogic LS, SE
WM 66797	Instructions for use for hospital staff VENTIlogic LS, TR
WM 66798	Instructions for use for hospital staff VENTIlogic LS, RU
WM 66799	Instructions for use for hospital staff VENTIlogic LS, ZN
WM 67180	Instructions for use for hospital staff VENTIlogic plus, DE
WM 67181	Instructions for use for hospital staff VENTIlogic plus, EN
WM 67182	Instructions for use for hospital staff VENTIlogic plus, FR
WM 67183	Instructions for use for hospital staff VENTIlogic plus, NL
WM 67184	Instructions for use for hospital staff VENTIlogic plus, IT
WM 67185	Klinik Gebrauchsanweisung VENTIlogic plus, RU
WM 67186	Instructions for use for hospital staff VENTIlogic plus, EL
WM 67187	Klinik Gebrauchsanweisung VENTIlogic plus, TR
WM 67188	Instructions for use for hospital staff VENTIlogic plus, ZH
WM 67020	Instructions for use for hospital staff VENTImotion 2, DE
WM 67021	Instructions for use for hospital staff VENTImotion 2, EN
WM 67022	Instructions for use for hospital staff VENTImotion 2, FR
WM 67023	Instructions for use for hospital staff VENTImotion 2, NL
WM 67024	Instructions for use for hospital staff VENTImotion 2, IT
WM 24805	CD-Rom with instructions for use for hospital staff VENTImotion/VENTIlogic (only for medical and technical personnel)
WM 16919	Instructions for use for hospital staff VENTImotion, NO
WM 16993	Instructions for use for hospital staff VENTImotion, DA
WM 16994	Instructions for use for hospital staff VENTImotion, SE
WM 16995	Instructions for use for hospital staff VENTImotion, FI

WM 16991	Instructions for use for hospital staff VENTImotion, ES
WM 16992	Instructions for use for hospital staff VENTImotion, PL
WM 24748	CD-Rom with instructions for use for hospital staff BiLevel ST 22 (only for medical and technical personnel)
WM 66780	Brief operating instructions VENTIllogic LS, DE
WM 66781	Brief operating instructions VENTIllogic LS, EN
WM 66782	Brief operating instructions VENTIllogic LS, FR
WM 66783	Brief operating instructions VENTIllogic LS, IT
WM 66784	Brief operating instructions VENTIllogic LS, NL
WM 66785	Brief operating instructions VENTIllogic LS, PL
WM 66786	Brief operating instructions VENTIllogic LS, SEN
WM 66787	Brief operating instructions VENTIllogic LS, TR
WM 66788	Brief operating instructions VENTIllogic LS, EL
WM 66789	Brief operating instructions VENTIllogic LS, RU
WM 67200	Brief operating instructions VENTIllogic plus, DE
WM 67201	Brief operating instructions VENTIllogic plus, EN
WM 67202	Brief operating instructions VENTIllogic plus, FR
WM 67203	Brief operating instructions VENTIllogic plus, NL
WM 67204	Brief operating instructions VENTIllogic plus, IT
WM 67205	Brief operating instructions VENTIllogic plus, RU
WM 67206	Brief operating instructions VENTIllogic plus, EL
WM 67207	Brief operating instructions VENTIllogic plus, TR
WM 67208	Brief operating instructions VENTIllogic plus, ZN
WM 67030	Brief operating instructions VENTImotion 2, DE
WM 67031	Brief operating instructions VENTImotion 2, EN
WM 67032	Brief operating instructions VENTImotion 2, FR
WM 16833	Brief operating instructions VENTImotion/VENTIllogic, DE
WM 16834	Brief operating instructions VENTImotion/VENTIllogic, EN
WM 16835	Brief operating instructions VENTImotion/VENTIllogic, FR
WM 66140	Brief operating instructions BiLevel ST 22, DE
WM 66141	Brief operating instructions BiLevel ST 22, EN
WM 66142	Brief operating instructions BiLevel ST 22, FR
WM 16858	Instructions for use VENTlclick, DE
WM 16859	Instructions for use VENTlclick, FR, IT, NL
WM 16871	Instructions for use VENTlclick, SV, DA, NO
WM 16872	Instructions for use VENTlclick, EN, ES, PL

No. 129783 - Valid from 01.12.2009

Suggested sales prices. V.A.T. excluded.

WM 16873	Instructions for use VENTiClick, FI, EL, RU
WM 16325	Instructions for use VENTiPower, DE
WM 16365	Instructions for use VENTiPower, FR, IT, NL
WM 16367	Instructions for use VENTiPower, EN, ES, PL
WM 16366	Instructions for use VENTiPower, SV, DA, NO
WM 16368	Instructions for use VENTiPower, FI, EL, RU
WM 66830	Instructions for use VENTI-O2 plus, DE
WM 66831	Instructions for use VENTI-O2 plus, EN
WM 66832	Instructions for use VENTI-O2 plus, FR, IT, NL
WM 16849	Instructions for use VENTI-O2, DE
WM 16874	Instructions for use VENTI-O2, FR, IT, NL
WM 16875	Instructions for use VENTI-O2, EN, ES, PL
WM 16876	Instructions for use VENTI-O2, SV, DA, NO
WM 16889	Instructions for use VENTI-O2, FI, EL, RU
WM 66730	Instructions for use VENTiRemote alarm, DE
WM 66731	Instructions for use VENTiRemote alarm, EN
WM 66732	Instructions for use VENTiRemote alarm, FR, NL, IT
WM 66818	Instructions for use Connection cable for nurse call, DE, EN, FR, NL, IT
WM 66400	Instructions for use Analogbox, D/A, DE
WM 66401	Instructions for use Analogbox D/A, EN
WM 66402	Instructions for use Analogbox D/A, FR, IT, NL
WM 96112	User Manual WEINMANNsupport, DE
WM 96113	Instructions for use WEINMANNsupport, EN
WM 96114	User manual WEINMANNsupport, FR, NL, IT
WM 66810	Patient passport VENTiLogic LS
WM 16754	Patient passport VENTiMotion/VENTiLogic DE, EN, FR
WM 66165	Patient passport BiLevel ST 22, DE, EN, FR

Flat-rate fee for re-assignment or change of patients

WM 80142 Flat rate for VENTIllogic/ VENTImotion 2/
VENTImotion/ BiLevel ST 22
Re-use/Patient change

Flat rate maintenance

WM 80311 Flat rate maintenance for VENTIllogic LS/
VENTIllogic plus 2 years

WM 80312 Flat-rate maintenance for VENTIllogic LS/
VENTIllogic plus
4 years/ 8000h/ change of patient

WM 80313 Flat-rate maintenance Head Box
incl. check-up, cleaning and calibration

WM 80314 Flat-rate maintenance Body Box
incl. check-up, cleaning and calibration

WM 80140 Flat rate for maintenance,
VENTIllogic/ VENTImotion 2/ VENTImotion/
BiLevel ST 22
2 or 6 years (5,000 or 15,000 hours)

WM 80141 Flat rate for maintenance,
VENTIllogic/ VENTImotion 2/ VENTImotion/
BiLevel ST 22
4 or 8 years (10,000 or 20,000 hours)

Maintenance and Safety Checks

WM 80146 STK according to §6 MPBetreibV, VENTIllogic/
VENTImotion 2/ VENTImotion/ BiLevel ST 22

WM 80144 Flat rate fee for maintenance of
VENTIllogic/ VENTImotion 2/ VENTImotion/
BiLevel ST 22 after two years - includes the
scheduled replacement of parts subject to wear
and final inspection

WM 80145 Flat rate fee for maintenance of
VENTIllogic/ VENTImotion 2/ VENTImotion/
BiLevel ST 22 after four years - includes the
scheduled replacement of parts subject to wear
and final inspection