

# *Supply Schedules*

## *2012*

### **Ventilation**

No. 129783 - Valid from 01.05.2012  
Suggested sales prices. V.A.T. excluded.

This price list is valid from 01.05.2012 and until the publication date of the subsequent list. Note: our price lists are regularly updated at short notice. Please make sure you have the current price list before you order by calling us (+49-(0)40-547 02-0) or by using your customer log-in to check our Web site ([www.weinmann.de](http://www.weinmann.de)). All previously issued price lists lose their validity as of the publication date of the newest price list. We reserve the right to make changes to designs and equipment, especially those resulting from ongoing development of new production series, without prior notice. WEINMANN is entitled to exclusive use of any and all forms of copyright related to this publication unless it grants express permission to another party.

A minimum quantity surcharge of 10 € applies to deliveries in foreign countries with a total value of less than 300 €.

## Table of Contents

	Page
<b>Ventilation</b>	<b>3</b>
Ventilation Therapy Sets	3
Accessories Ventilation	13
Replacement Parts Ventilation	15
Software	17
Instructions for use	18
Flat-rate fee for re-assignment or change of patients	21
Flat rate maintenance	21
Maintenance and Safety Checks	21

## Ventilation

### Ventilation Therapy Sets

#### VENTIlogic LS next generation

WM 27940

VENTIlogic LS, ventilator  
leakage ventilation from SN 10.000  
consisting of:  
VENTIlogic LS, basic device (WM 27951)  
Power cord (WM 24177)  
Protective bag for VENTIlogic LS/ VENTIlogic plus  
(WM 27106)  
Test adapter, packed (WM 27140)  
Set, conversion to leakage ventilation, packed  
(WM15545) consisting of:  
- adapter, leakage ventilation (WM 27122)  
- drying adapter (WM 24203)  
- patient circuit (WM 24130)  
Information and spare parts set (WM 15494)  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O2-coupling (WM 27166)  
- Allen wrench, size 3 (WM 24708)  
- patient passport (WM 66810)

WM 27950

VENTIlogic LS, ventilator  
single patient circuit with patient valve,  
from SN 10.000  
consisting of:  
VENTIlogic LS basic device (WM 27951)  
Power cord (WM 24177)  
Protective bag for VENTIlogic LS/ VENTIlogic plus  
(WM 27106)  
Single patient circuit valve ventilation (WM 27181)  
Test adapter, packed (WM 27140)  
Adapter leakage ventilation, packed (WM 27199)  
Information and spare part set (WM 15494)  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O2-cuppling (WM 27166)  
- Allen wrench, size 3 (WM 24708)  
- patient passport (WM 66810)

WM 27960

VENTIlogic LS, ventilator  
double patient circuit with patient valve  
from SN 10.000  
consisting of:  
VENTIlogic LS basic device (WM 27951)  
power cord (WM 24177)  
Protective bag for VENTIlogic LS/ VENTIlogic plus  
(WM 27106)  
Set, conversion to double patient circuit with  
patient valve, packed (WM 15546) consisting of:  
- exhalation module, packed (WM 27185)  
- double patient circuit with patient valve  
(WM 27182)  
Test adapter, packed (WM 27140)  
Adapter, leakage ventilation, packed (WM 27199)  
Information and spare part set (WM 15494),  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O2-cuppling (WM 27166)  
- Allen wrench, size 3 (WM 24708)  
- patient passport (WM 66810)

WM 27970 VENTIllogic LS, ventilator  
hospital from SN 10.000  
consisting of:  
VENTIllogic LS basic device (WM 27951)  
Power cord (WM 24177)  
Protective bag for VENTIllogic LS/ VENTIllogic plus  
(WM 27106)  
Single patient circuit valve ventilation  
(WM 27181)  
Patient circuit, Leakage ventilation, sterilizable  
(WM 24120)  
Set, conversion to double patient circuit with  
patient valve, packed (WM 15546) consisting of:  
- exhalation module, packed (WM 27185)  
- double patient circuit with patient valve  
(WM 27182)  
Test adapter, packed (WM 27140)  
Adapter, leakage ventilation, packed (WM 27199)  
Drying adapter (WM 24203)  
Information and spare part set (WM 15494),  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O<sub>2</sub>-cuppling (WM 27166)  
- Allen wrench, size 3 (WM 24708)  
- patient passport (WM 66810)  
Set, O<sub>2</sub>-measurement (WM15732) consisting of:  
- connection cable for O<sub>2</sub> sensor (WM 27792)  
- O<sub>2</sub> sensor (WM 27128)  
- T-piece, O<sub>2</sub> sensor (WM 27143)  
Bacteria filter, leakage ventilation (WM 24148)  
Bacteria filter, valve ventilation (WM 24476)

#### VENTIllogic plus next generation

WM 27980 VENTIllogic plus, ventilator  
leakage ventilation from SN 10.000  
consisting of:  
VENTIllogic plus, basic device (WM 27991)  
Power cord (WM 24177)  
Protective bag for VENTIllogic LS/ VENTIllogic  
plus (WM 27106)  
Set, conversion to leakage ventilation, packed  
consistion of (WM 15545):  
- adapter, leakage ventilation (WM 27122)  
- drying adapter (WM 24203)  
- patient circuit (WM 24130)  
Information and spare part set (WM 15494)  
consisting of:  
- coarse dust filter (WM 24880)  
- fine filter, packed (WM 15026)  
- coarse dust filter, fan (WM 27759)  
- O<sub>2</sub>-cuppling (WM 27166)  
- Allen wrench, size 3 (WM 24708)

- WM 27990
- patient passport (WM 66810)
- VENTIlogic plus, ventilator  
single patient circuit with patient valve,  
from SN 10.000  
consisting of:  
VENTIlogic plus basic device (WM 27991)  
Power cord (WM 24177)  
Protective bag for VENTIlogic LS/ VENTIlogic  
plus (WM 27106)  
Single patient circuit valve ventilation  
(WM 27181)  
Test adapter, packed (WM 27140)  
Adapter leakage ventilation, packed (WM 27199)  
Information and spare part set (WM 15494)  
consisting of:
- coarse dust filter (WM 24880)
  - fine filter, packed (WM 15026)
  - coarse dust filter, fan (WM 27759)
  - O2-cuppling (WM 27166)
  - Allen wrench, size 3 (WM 24708)
  - patient passport (WM 66810)

## VENTIlogic

- WM 27000 VENTIlogic intelligent ST ventilator  
-article will be discontinued -
- consisting of:  
VENTIlogic device (WM 27005),  
Hose system, can be disinfected (WM 24130),  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880)  
Fine filter (WM 24870), packed (WM 15026)  
Supplemental O2plus f. VENTImotion/ VENTIlogic  
(WM 66846)  
Patient passport ventilation, DE (WM 66810)
- WM 27020 VENTIlogic intelligent ST ventilator with  
humidifier VENTIclick  
-article will be discontinued -
- consisting of:  
VENTIlogic device (WM 27005),  
VENTIclick , humidifier, clicks into place  
(WM 24365)  
Hose system, can be disinfected (WM 24130),  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880)  
Fine filter (WM 24870), packed, (WM 15026)  
Patient passport ventilation, DE (WM 66810)
- WM 27030 VENTIlogic intelligent ST ventilator  
with external battery pack VENTIpower  
-article will be discontinued -
- consisting of:  
VENTIlogic device (WM 27005),  
VENTIpower , external battery pack for  
mobile power supply (WM 27630)  
Hose system, can be disinfected (WM 24130),  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880)  
Fine filter (WM 24870), packed, (WM 15026)  
Patient passport ventilation, DE (WM 66810)

- WM 27010                    VENTIllogic intelligent ST ventilator  
with oxygen valve VENTI-O2 plus  
-article will be discontinued -
- consisting of:  
VENTIllogic device (WM 27005),  
VENTI-O2 , oxygen valve, clicks into place  
(WM 24200), including Hose system for O2  
Valve VENTI-O2 (WM 23737),  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880)  
Fine filter (WM 24870), packed, (WM 15026)  
Patient passport ventilation, DE (WM 66810)
- WM 27040                    VENTIllogic intelligent ST ventilator  
with humidifier VENTlclick,  
oxygen valve VENTI-O2 plus and external  
battery pack VENTlpower  
-article will be discontinued -
- consisting of:  
VENTIllogic device (WM 27005),  
VENTlclick , humidifier, clicks into place,  
(WM 24365)  
VENTlpower , external battery pack for mobile  
power supply (WM 27630),  
VENTI-O2 plus, oxygen valve, clicks into place  
(WM 27200),  
Hose system, (WM 24130)  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880),  
Fine filter (WM 24870), packed (WM 15026)  
Patient passport ventilation, DE (WM 66810)

## VENTImotion 2

WM 27800	<p>VENTImotion 2 intelligent ST ventilator consisting of: VENTImotion 2 basic device (WM 27810) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>
WM 27820	<p>VENTImotion 2 intelligent ST ventilator with oxygen valve VENTI-O2 plus consisting of: VENTImotion 2 basic device (WM 27810) VENTI-O2 plus, oxygen valve, clicks into place (WM 27200) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>
WM 27830	<p>VENTImotion 2 intelligent ST ventilator with humidifier VENTIClick consisting of: VENTImotion 2 basic device (WM 27810) VENTIClick , humidifier, clicks into place (WM 24365) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>

WM 27840	<p>VENTImotion 2 intelligent ST ventilator with external battery pack VENTIpower consisting of: VENTImotion 2 basic device (WM 27810) VENTIpower, external battery pack for mobile power supply (WM 27630) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>
WM 27850	<p>VENTImotion 2 intelligent ST ventilator with oxygen valve VENTI-O2 plus, humidifier VENTIClick and external battery pack VENTIpower consisting of: VENTImotion 2 basic device (WM 27810) VENTI-O2 plus, oxygen valve, clicks into place (WM 27200) VENTIClick, humidifier, clicks into place (WM 24365) VENTIpower, external battery pack for mobile power supply (WM 27630) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>

## VENTImotion

WM 24800

VENTImotion bilevel ST ventilator  
-article will be discontinued -

### Supply Schedule:

VENTImotion Bilevel ST device (WM 24810),  
Tube system, can be disinfected (WM 24130),  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880)  
Fine filter (WM 24870), packed (WM 15026)  
Supplemental O2plus f. VENTImotion/ VENTIllogic  
(WM 66846)

WM 24570

VENTImotion bilevel ST ventilator  
with humidifier VENTlclick  
-article will be discontinued -

### consisting of:

VENTImotion Bilevel ST device (WM 24810),  
VENTlclick , humidifier, clicks into place  
(WM 24365)  
Hose system, can be disinfected (WM 24130),  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880)  
Fine filter (WM 24870), packed, (WM 15026)

WM 24580

VENTImotion bilevel ST ventilator  
with external battery pack VENTlpower  
-article will be discontinued -

### consisting of:

VENTImotion Bilevel ST 35 device (WM 24810)  
VENTlpower, external battery pack for  
mobile power supply (WM 27630)  
Hose system, can be disinfected (WM 24130),  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880)  
Fine filter (WM 24870), packed, (WM 15026)

- WM 24560                    VENTImotion bilevel ST ventilator  
with oxygen valve VENTI-O2 plus  
-article will be discontinued -
- consisting of:  
VENTImotion Bilevel ST 35 device  
(WM 24810),  
VENTI-O2 plus, oxygen valve, clicks into place  
(WM 27200)  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880)  
Fine filter (WM 24870), packed, (WM 15026)
- WM 24590                    VENTImotion bilevel ST ventilator  
with humidifier VENTiClick ,  
oxygen valve VENTI-O2 plus and external  
battery pack VENTiPower  
-article will be discontinued -
- consisting of:  
VENTImotion Bilevel ST 35 device  
(WM 24810),  
VENTiClick, humidifier, clicks into place  
(WM 24365)  
VENTiPower, external battery pack for mobile  
power supply (WM 27630)  
VENTI-O2 plus, oxygen valve, clicks into place  
(WM 27200)  
Dryer adapter (WM 24203),  
Transport bag (WM 24888),  
Power cable (WM 24177),  
Coarse dust filter, single (WM 24880),  
Fine filter (WM 24870), packed (WM 15026)

## Accessories Ventilation

WM 27951	VENTIlogic LS, basic device from SN 10.000
WM 27991	VENTIlogic plus, basic device from SN 10.000
WM 27005	VENTIlogic, basic device
WM 27810	VENTImotion 2, basic device
WM 24810	VENTImotion, basic device
WM 24120	Set, tube system for clinic consisting of: - creased tube, can be sterilized (WM 24122) - pressure measurement tube (WM 24038) - adapter tube (WM 24123) - Pressure connector (WM 24129) - sealing plugs (2x) (WM 24115)
WM 24130	Set, patient circuit, consisting of: - creased tube, can be disinfected (WM 24108) - pressure measurement tube (WM 24038) - adapter tube (WM 24123) - Pressure connector (WM 24129) - 2 sealing plugs (WM 24115)
WM 27181	Single patient circuit valve ventilation
WM 27182	Double patient circuit with patient valve
WM 27184	Exhalation valve for double patient circuit
WM 15545	Set, conversion to leakage ventilation, packed consistion of: - adapter, leakage ventilation (WM 27122) - drying adapter (WM 24203) - patient circuit (WM 24130)
WM 15546	Set, conversion to double patient circuit with patient valve, packed, VENTIlogic LS consisting of: - exhalation module, packed (WM 27185) - double patient circuit with patient valve (WM 27182)
WM 24200	VENTI-O2, oxygen valve, clicks into place, including hose system for O2 Valve VENTI-O2 (WM 23737) (for BiLevel ST 22)
WM 23737	Tube system for O2 Valve (WM 24042) and VENTI-O2 (WM 24200), can be disinfected
WM 27200	VENTI-O2 plus, Oxygen valve for VENTImotion/ VENTIlogic (from SN 4000), VENTImotion 2

WM 15732	Set, O2 measurement consisting of: - connection cable for O2 sensor (WM 27792) - O2 sensor (WM 27128) - T-piece, O2 sensor (WM 27143)
WM 27880	Replaceable battery VENTIlogic LS/ plus
WM 24365	VENTIclick humidifier, clicks into place
WM 27630	VENTIpower external rechargeable battery for mobile power supply (f. Bilevel ST 22, VENTImotion, VENTImotion 2, VENTIlogic)
WM 27745	VENTIremote alarm, 10m cabel
WM 27755	VENTIremote alarm, 30m cable
WM 27780	Connection cable, nurse call 10m
WM 27790	Connection cable, nurse call 30m
WM 24148	Bacteria filter, packed (leakage ventilation) with 10 particle filters (WM 24147)
WM 24476	Bacteria filter (valve ventilation)
WM 27560	Analogbox D/A, including power supply unit for PSG connection
WM 27561	Analogbox D/A without power supply unit
WM 95090	Power supply unit
WM 93321	Converter cable USB-RS/485, complete
WM 93319	Connection cable, 1.5 m for Converter cable USB-RS485
WM 24037	PSG connection cable for Weinmann
WM 23904	PSG connection cable for H+L / Respirationics
WM 23908	PSG connection cable for Viasys (Jaeger)
WM 23929	PSG connection cable for MAP
WM 23941	PSG connection cable for Stimotron
WM 23976	PSG connection cable, generic
WM 27976	Water-resistant transport bag for mobile usage of VENTIlogic LS/ plus
WM 27996	Bag for replaceable battery VENTIlogic LS/ plus
WM 24888	Transport bag VENTImotion/ VENTIlogic
WM 24995	Transport bag VENTImotion 2/ BiLevel ST 22
WM 23018	Transport bag VENTIpower
WM 24824	Address card for transport bag VENTImotion/ VENTIlogic
WM 24996	Address card for transport bag VENTImotion 2/ BiLevel ST 22
WM 24585	Address card for VENTIpower transport bag
WM 27140	Test adapter, packed (VENTIlogic LS)
WM 24616	12V power inverter

WM 24617	24V power inverter
WM 31030	OXYWAY Click Flow dosage setting knob for central gas system in emergency vehicles, clicks into place at settings for 1, 2, 3, 4, 5, 6, 9, 12, 15 L/min, with DIN connector (DIN 13260), incl. one (1) connection nozzle with swivel nut, straight, Ø 6 mm, UNF 9/16 (WM 31122)
WM 31040	OXYWAY Click Flow dosage setting knob for central gas facility in emergency vehicles, clicks into place at settings for 1, 2, 3, 4, 5, 6, 9, 12, 15 L/min, with AGA connector, incl. one (1) connection nozzle with swivel nut, straight, Ø 6 mm, UNF 9/16 (WM 31122)

## Replacement Parts Ventilation

WM 27759	Coarse dust filter, fan
WM 24880	Coarse dust filter, device inlet port
WM 15026	Fine filter (WM 24870), packed
WM 24148	Bacteria filter, packed (leakage ventilation) with 10 particle filters (WM 24147)
WM 24147	Particle filter for bacteria filter (1 piece)
WM 15584	Set I Particle filter (10 of WM 24147)
WM 15576	Set II Particle filter (100 of WM 24147)
WM 15577	Set III Particle filter (500 of WM 24147)
WM 15720	Set of year's supply of spare filters, packed (3x fine filters, 2x coarse filters, 2x coarse dust filters for fan)
WM 15682	One-year supply set of replacement filters, packed, (3 fine filters WM 24870, 2 coarse dust filters, WM 24880)
WM 24177	Power cord
WM 27804	Power supply unit VENTImotion 2
WM 27166	O2-coupling
WM 27106	Protective bag for VENTIllogic LS/ VENTIllogic plus
WM 24386	Heating rod VENTIclick
WM 24368	Upper part of housing VENTIclick, pre-assembled
WM 24388	Lower part of housing VENTIclick
WM 24378	Filling stopper
WM 24394	Bellows (VENTI-O2 plus)

The article contains the following substances included on the candidate list according to article 59 (1,10) of Regulation (EC) No 1907/2006 (REACH) in a concentration above 0.1% weight by weight:  
DEHP (CAS No. 117-81-7, EC No. 204-211-0)

	The packaging materials contain no substances included on the candidate list in a concentration above 0.1% weight by weight.
WM 23046	connection cable, black (VENTIpower f. Bilevel ST 22, Vmotion, Vmotion 2, Vlogic)
WM 27199	Adapter leakage ventilation, packed
WM 15739	Set, adapter for valve ventilation, packed consisting of: - adapter, valve ventilation (WM 27738) - cylinder bold M4 (WM 50605)
WM 27738	Adapter, valve ventilation
WM 27853	Leakage adapter for standard cone 22mm (for VENTIlogic plus/ VENTIlogic LS)
WM 15880	Clinic adapter (for VENTImotion2, VENTImotion, VENTIlogic)
WM 27185	Exhalation module, packed (VENTIlogic LS)
WM 27792	Conncting calbe for O2 sensor
WM 27128	O2 sensor
WM 27143	T-piece, O2 sensor
WM 27758	Connection cable 30m, VENTIremote alarm
WM 27789	Connection cable 10m, VENTIremote alarm
WM 24122	Spiral tube, can be sterilized
WM 24108	Spiral tube, can be disinfected
WM 24123	adapter tube
WM 24115	Sealing plug for pressure measurement tube
WM 24038	pressure measurement tube
WM 24129	Pressure connector
WM 24203	Drying adapter
WM 24708	Allen wrench, size 3
WM 27731	Sealing plug (Cover SD card VENTIlogic LS/ plus)

## Software

WM 93305	WEINMANNsupport PC Software for setting and analysis of WEINMANN ventilation and sleep therapy devices with converter cable USB-RS/485 consists of - WEINMANNsupport, PC Software (WM 93301) - Converter cable USB-RS/485, complete (WM 93321)
WM 27220	Set Weinmann Update-Tool Supply Schedule: CD Weinmann Update-Tool (WM 27221) Converter cable USB-RS485 Connection cable full duplex

## Instructions for use

WM 67550	Instructions for use VENTIllogic LS, VENTIllogic plus, DE from SN 10.000
WM 67551	Instructions for use VENTIllogic LS, VENTIllogic plus, EN from SN 10.000
WM 67552	Instructions for use VENTIllogic LS, VENTIllogic plus, FR from SN 10.000
WM 67553	Instructions for use VENTIllogic LS, VENTIllogic plus, IT from SN 10.000
WM 67554	Instructions for use VENTIllogic LS, VENTIllogic plus, NL from SN 10.000
WM 67555	Instructions for use VENTIllogic LS, VENTIllogic plus, PL from SN 10.000
WM 67556	Instructions for use VENTIllogic LS, VENTIllogic plus, SV from SN 10.000
WM 67557	Instructions for use VENTIllogic LS, VENTIllogic plus, TR from SN 10.000
WM 67558	Instructions for use VENTIllogic LS, VENTIllogic plus, EL from SN 10.000
WM 67559	Instructions for use VENTIllogic LS, VENTIllogic plus, RU from SN 10.000
WM 67561	Instructions for use VENTIllogic LS, VENTIllogic plus, ES from SN 10.000
WM 67562	Instructions for use VENTIllogic LS, VENTIllogic plus, PT from SN 10.000
WM 67563	Instructions for use VENTIllogic LS, VENTIllogic plus, DA from SN 10.000
WM 66091	Instructions for use VENTIllogic, EN
WM 66092	Instructions for use VENTIllogic, FR, IT, NL
WM 67010	Instructions for use VENTImotion 2, DE
WM 67011	Instructions for use VENTImotion 2, EN
WM 67012	Instructions for use VENTImotion 2, FR, IT, NL
WM 67013	Instructions for use VENTImotion 2, RU
WM 67014	Instructions for use VENTImotion 2, ZN

WM 16836	Instructions for use VENTImotion, DE
WM 16837	Instructions for use VENTImotion, FR, IT, NL
WM 16838	Instructions for use VENTImotion, EN, ES, PL
WM 16839	Instructions for use VENTImotion, SV, DA, NO
WM 16882	Instructions for use VENTImotion, FI, EL, RU
WM 67570	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, DE from SN 10.000
WM 67571	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, EN from SN 10.000
WM 67572	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, FR from SN 10.000
WM 67573	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, IT from SN 10.000
WM 67574	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, NL from SN 10.000
WM 67577	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, TR from SN 10.000
WM 67581	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, ES from SN 10.000
WM 67020	Instructions for use for hospital staff VENTImotion 2, DE
WM 67021	Instructions for use for hospital staff VENTImotion 2, EN
WM 67022	Instructions for use for hospital staff VENTImotion 2, FR
WM 67023	Instructions for use for hospital staff VENTImotion 2, NL
WM 67024	Instructions for use for hospital staff VENTImotion 2, IT
WM 24805	CD-Rom with instructions for use for hospital staff VENTImotion/VENTIlogic (only for medical and technical personnel)
WM 16919	Instructions for use for hospital staff VENTImotion, NO
WM 67590	Brief operating instructions VENTIlogic LS, VENTIlogic plus, DE from SN 10.000
WM 67591	Brief operating instructions VENTIlogic LS, VENTIlogic plus, EN from SN 10.000
WM 67592	Brief operating instructions VENTIlogic LS, VENTIlogic plus, FR from SN 10.000

WM 67030	Brief operating instructions VENTImotion 2, DE
WM 67031	Brief operating instructions VENTImotion 2, EN
WM 67032	Brief operating instructions VENTImotion 2, FR
WM 16833	Brief operating instructions VENTImotion/VENTIlogic, DE
WM 16834	Brief operating instructions VENTImotion/VENTIlogic, EN
WM 16835	Brief operating instructions VENTImotion/VENTIlogic, FR
WM 16858	Instructions for use VENTIcon, DE
WM 16859	Instructions for use VENTIcon, FR, IT, NL
WM 16871	Instructions for use VENTIcon, SV, DA, NO
WM 16872	Instructions for use VENTIcon, EN, ES, PL
WM 16873	Instructions for use VENTIcon, FI, EL, RU
WM 16325	Instructions for use VENTIpower, DE
WM 16365	Instructions for use VENTIpower, FR, IT, NL
WM 16367	Instructions for use VENTIpower, EN, ES, PL
WM 16366	Instructions for use VENTIpower, SV, DA, NO
WM 16368	Instructions for use VENTIpower, FI, EL, RU
WM 66830	Instructions for use VENTI-O2 plus, DE
WM 66831	Instructions for use VENTI-O2 plus, EN
WM 66832	Instructions for use VENTI-O2 plus, FR, IT, NL
WM 16849	Instructions for use VENTI-O2, DE
WM 16874	Instructions for use VENTI-O2, FR, IT, NL
WM 16875	Instructions for use VENTI-O2, EN, ES, PL
WM 16876	Instructions for use VENTI-O2, SV, DA, NO
WM 16889	Instructions for use VENTI-O2, FI, EL, RU
WM 66730	Instructions for use VENTIcon alarm, DE
WM 66731	Instructions for use VENTIcon alarm, EN
WM 66732	Instructions for use VENTIcon alarm, FR, NL, IT
WM 66818	Instructions for use Connection cable for nurse call, DE, EN, FR, NL, IT
WM 66400	Instructions for use Analogbox, D/A, DE
WM 66401	Instructions for use Analogbox D/A, EN
WM 66402	Instructions for use Analogbox D/A, FR, IT, NL
WM 96112	Instruction for use WEINMANNsupport, DE
WM 96113	Instructions for use WEINMANNsupport, EN
WM 96114	Instruction for use WEINMANNsupport, FR, NL, IT
WM 66810	Patient passport ventilation, DE

### Flat-rate fee for re-assignment or change of patients

WM 80142	Flat rate for VENTIllogic/ VENTImotion Re-use/Patient change
WM 80235	Flat rate for VENTImotion 2 Re-use/Patient change
WM 80312	Flat-rate for VENTIllogic LS/ VENTIllogic plus Re-use/Patient change

### Flat rate maintenance

WM 80600	Flat rate maintenance and STK, 8000hrs for VENTIllogic LS/ VENTIllogic plus without change of rechargeable battery and battery
WM 80311	Flat rate maintenance and STK, 2 years for VENTIllogic LS/ VENTIllogic plus with exchange of internal battery and battery 3V up to device number 9.999
WM 80602	Flat rate maintenance and STK, 4 years for VENTIllogic LS/ VENTIllogic plus with change of internal battery and battery 3V up to device number 9.999
WM 80601	Flat rate maintenance and STK, 16.000hrs for VENTIllogic LS/ VENTIllogic plus with change of fan and PEEP valve control
WM 80603	Flat rate maintenance and STK, 4 years/ 16.000 hrs for VENTIllogic LS/ VENTIllogic plus with change of fan, PEEP valve control, internal battery and battery 3V up to device number 9.999
WM 80140	Flat rate for maintenance, VENTIllogic/ VENTImotion 2/ VENTImotion/ BiLevel ST 22 2 or 6 years (5,000 or 15,000 hours)
WM 80141	Flat rate for maintenance, VENTIllogic/ VENTImotion 2/ VENTImotion/ BiLevel ST 22 4 or 8 years (10,000 or 20,000 hours)

### Maintenance and Safety Checks

WM 80146	STK according to §6 MPBetreibV, VENTIllogic/ VENTImotion 2/ VENTImotion/ BiLevel ST 22
WM 80144	Flat rate fee for maintenance and STK of VENTIllogic/ VENTImotion 2/ VENTImotion/ BiLevel ST 22 after two years (5.000 or 15.000 hours) - includes the scheduled replacement of parts subject to wear and final inspection -

No. 129783 - Valid from 01.05.2012

Suggested sales prices. V.A.T. excluded.

WM 80145	Flat rate fee for maintenance and STK of VENTIllogic/ VENTImotion after four years (10.000 or 20.000 hours) - includes the scheduled replacement of parts subject to wear and final inspection -
WM 80233	Flat rate fee for maintenance and STK of VENTImotion 2 after four years (10.000 or 20.000 hours) - includes the scheduled replacement of parts subject to wear and final inspection -